

Attempt to Repair

66-2000988

HARNETT COUNTY HEALTH DEPARTMENT

No 16587

# IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Sean Carter  New Installation  Septic Tank

Property Location: SR# off 1120  Repairs  Nitrification Line

Subdivision Sierra Villa Lot # 68

Tax ID # \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: Three Lot Size: \_\_\_\_\_

Basement with Plumbing:  Garage:

Water Supply:  Well  Public  Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional  Other \_\_\_\_\_


Size of tank: Septic Tank: EXISTING gallons Pump Tank: \_\_\_\_\_ gallons

Subsurface Drainage Field No. of ditches 2 exact length of each ditch 75 ft. width of ditches 3 ft. depth of ditches 30" in.

French Drain Required: \_\_\_\_\_ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 02 May 2000  
Signed: Vernon R. Dodge  
Environmental Health Specialist



\* Not to scale  
 \* Contractor must meet on-site prior to installation  
 \* Install filter  
 \* Pump Tank

20000988

HARNETT COUNTY HEALTH DEPARTMENT

A **AUTHORIZATION TO CONSTRUCT**

*Attempt to Repair*

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 16587. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent \_\_\_\_\_

Name: Sean Carter Telephone # 497-4168

Address: 75 California Dr. Springlake, NC

Property Location: SR # off 1120 Road Name off Overhill

New Installation \_\_\_\_\_ Repair  Septic Tank EXISTING Nitrification Lines

Subdivision Sierra Villa Lot # 68

Number of Bedrooms Proposed: Three Lot size: \_\_\_\_\_

Basement \_\_\_\_\_ With Plumbing \_\_\_\_\_ Without Plumbing \_\_\_\_\_

Water Supply: Well \_\_\_\_\_ Public  Minimum Well Setback: \_\_\_\_\_ ft.

Type of System: Conventional  Other \_\_\_\_\_

Tank Volume: Septic Tank EXISTING gallons Pump Chamber \_\_\_\_\_ gallons

Nitrification Field Specifications

Number of fields 1 Number of Lines per Field 2 Length of lines 75 feet

Width of ditches 3 ft. Depth of ditches 30 inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Vernest H. [Signature] Date: 12 May 2000