

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) William Bailey New Installation Septic Tank
Property Location: SR# 1432 401 N Left Repairs Nitrification Line
ON Wilburn Rd / .8 ON Right

Subdivision _____ Lot # _____

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 16 acce

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
Drainage Field ditches 2 of each ditch 150 ft. ditches 3 1/2 ft. ditches 18-20 in.

French Drain required: - Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 12-1-94

Signed: Jana E. Mantel

Environmental Health Specialist

VOID AFTER 5 YEARS

* Maintain all setbacks!

