

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) KENNETH F. GUIN New Installation Septic Tank
Property Location: SR# _____ Repairs Nitrification Line

RT 2 BOX 349 J LILLINGTON
Subdivision _____ Lot # 1

Tax ID# _____ Quadrant # _____
Number of Bedrooms Proposed: 3 Lot Size: 10.66 ACRES

Basement with Plumbing: Garage: N/A
Water Supply: Well Public Community
Distance From Well: 100 ft.


Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
Size of tank: Septic Tank: 900 gallons Pump Tank: N/A gallons
Subsurface No. of exact length width of depth of
Drainage Field ditches 3 of each ditch 67 ft. ditches 3 ft. ditches 28 in.
French Drain required: N/A Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 1-30-94
Signed: [Signature]
Environmental Health Specialist

VOID AFTER 5 YEARS



NOTE:
① INSTALL SHALLOW 18" DEEP