

HARNETT COUNTY HEALTH DEPARTMENT

IMPROVEMENT PERMIT

No. 5610

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Currin Builders, Inc New Installation Septic Tank
Property Location: SR 1504 Repairs Nitrification Line
lot #49 Benton Place II

Number of Bedrooms Proposed: 2 Lot Size: 1.481 acre

Basement with Plumbing: Garage:
Water Supply: Well Public Community
Distance From Well: 100 ft.


Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
Size of tank: Septic Tank: 900 gallons Pump Tank: _____ gallons
Subsurface No. of exact length width of depth of
ainage Field ditches 2 of each ditch 100 ft. ditches 3 ft. ditches 18 in.
French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 07/10/91
Signed: Charles Wood
Environmental Health Specialist

VOID AFTER 5 YEARS



* Maintain 50' from existing well.