

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Kenneth W. Vanderpool New Installation Septic Tank
Property Location: SR# 1129 Repairs Nitrification Line
(~ 4 mile from Hwy 27)

Subdivision _____ Lot # _____

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 145 acres

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50+ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
Drainage Field ditches 4 of each ditch 75 ft. ditches 3 ft. ditches *12-16* in.

French Drain required: _____ Linear feet


This permit is subject to revocation if site plans or intended use change.

Date: 28 October, 1993

Signed: [Signature]

Environmental Health Specialist

VOID AFTER 5 YEARS



well ⊗

* Additional fill to be brought in to provide 6" cover over system ⊗ well
* Maintain at least 50' from wells