

# HARNETT COUNTY HEALTH DEPARTMENT IMPROVEMENT PERMIT

No 14677

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Mark Jennigan       New Installation       Septic Tank  
 Property Location: SR# off 1120       Repairs       Nitrification Line  
off Overhills

Subdivision \_\_\_\_\_ Lot # \_\_\_\_\_  
 Tax ID # \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: FOUR      Lot Size: 13.85 acs

Basement with Plumbing:       Garage:   
 Water Supply:  Well     Public     Community  
 Distance From Well: 100 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional       Other \_\_\_\_\_

Size of tank:      Septic Tank: 1000 gallons      Pump Tank: \_\_\_\_\_ gallons

Subsurface      No. of      exact length      width of      depth of  
 Drainage Field      ditches 4      of each ditch 100 ft.      ditches 3 ft.      ditches 18-22 in.


French Drain Required: \_\_\_\_\_ Linear feet

Date: 13 January 1999

Signed: Vernest R. Dodge  
 Environmental Health Specialist

**This permit is subject to revocation if site plans or intended use change.**

\* Contractor must meet on-site prior to installation!  
 \* Lines on contours  
 \*



TR

**HARNETT COUNTY HEALTH DEPARTMENT**  
**AUTORIZATION TO CONSTRUCT**

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 14677. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent \_\_\_\_\_

Name: Mark Jernigan Telephone # 497-3714

Address: 1079 Valley Rd. Spring Lake NC 28390

Property Location: SR # off 1120 Road Name off Overhills

New Installation  Repair \_\_\_\_\_ Septic Tank  Nitrification Lines

Subdivision \_\_\_\_\_ Lot # \_\_\_\_\_

Number of Bedrooms Proposed: FOUR Lot size: 13± acres

Basement \_\_\_\_\_ With Plumbing \_\_\_\_\_ Without Plumbing \_\_\_\_\_

Water Supply: Well \_\_\_\_\_ Public  Minimum Well Setback: 100 ft.

Type of System: Conventional  Other \_\_\_\_\_

Tank Volume: Septic Tank 1000 gallons Pump Chamber \_\_\_\_\_ gallons

**Nitrification Field Specifications**

Number of fields 1 Number of Lines per Field 4 Length of lines 100 feet

Width of ditches 3 ft. Depth of ditches 18-22 inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Vernon R. Wolf Date: 13 Jan 99