

3-26-94

OWNER: Karl Arnold corp PHONE: _____ DATE REQUESTED: _____ DATE EVALUATED: _____
 ADDRESS: _____ PROPERTY IDENTIFICATION NO.: _____
 COUNTY: _____ PROPERTY SIZE: _____ PROPOSED FACILITY: DW
 LOCATION OF SITE: Lot # A: 46 Heritage Village S/D
 WATER SUPPLY: On-Site Well _____ Community _____ Public EVALUATION BY: Auger Boring _____ PR _____


LANDSCAPE POSITION	Group	TEXTURE	App. Rate	LEGEND		STRUCTURE	MIN 1:1
				CONSISTENCE	WET		
R - Ridge	I	s - sand	1.2-0.8	MOIST	vtr - very friable	WET	sg - single grain
S - Shoulder slope		ls - loamy sand					
L - Linear slope	II	sl - sandy loam	0.8-0.6	f - firm	Ss - slightly sticky	S - sticky	cr - crumb
FS - Foot slope		l - loam		vfl - very firm	Vs - very sticky	gr - granular	
N - Nose slope	III	sl - silt	0.6-0.3	sf - extremely firm	Vp - very plastic	sbk - subangular blocky	abk - angular blocky
H - Head slope		sil - silt loam		Np - non-plastic	pl - platy		
Cc - Concave slope		scl - silty clay loam		Sp - slightly plastic	pr - prismatic		
Cv - Convex slope		cl - clay loam		P - plastic			
T - Terrace	IV	sc - sandy clay	0.4-0.1				
FP - Flood Plain		slc - silty clay					
		c - clay					

- Use the above standard abbreviations.
- NOTES:
- Soil Depth - in inches
 - Depth of Fill - in inches from land surface
 - Restrictive Horizon - thickness and inches from land surface
 - Moisture - S (suitable) or U (unsuitable)

- NOTES:
- Soil Wetness - inches from land surface to free water or inches from land surface to soil color chroma 2 or less - record Munsell color chip designation
 - Classification - S (suitable), PS (provisionally suitable) or U (unsuitable)
 - Long-Term Acceptance Rate - gal/day/ft²

HS 2801 (Revised _____)
 Extension Branch (Review _____)

Run lines with contour



FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
ESCAPE POSITION					
(%)					
DN I DEPTH	4-20	4-20	4-20	4-21	
Group	SAND	SAND	SAND	SAND	
ence					
ure					
ology					
DN II DEPTH	20-30	20-31	20-30	21-30	
Group	20 Any SAND	L. SAND	L. SAND	L. SAND	
ence					
ure					
ology					
DN III DEPTH	30-48	31-48	31-48	31-48	
Group	SAND	SAND	SAND	SAND	
ence					
ure					
ology					
DN IV DEPTH					
Group					
ence					
ure					
ology					
NETNESS					
ACTIVE HORIZON					
LITE					
IFICATION					
ERM					
ANCE RATE	.9	.9	.9	.9	

FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
ESCAPE POSITION					
(%)					
DN I DEPTH					
Group					
ence					
ure					
ology					
DN II DEPTH					
Group					
ence					
ure					
ology					
DN III DEPTH					
Group					
ence					
ure					
ology					
DN IV DEPTH					
Group					
ence					
ure					
ology					
NETNESS					
ACTIVE HORIZON					
LITE					
IFICATION					
ERM					
ANCE RATE					

CLASSIFICATION:

TESTED BY:

DATE:

SITE LONG-TERM ACCEPTANCE RATE:

OTHER(S) PRESENT: