

FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
SCAPE POSITION					
E (ft)					
ZON I DEPTH	4.5 4.8	4-48	4-48		
Soil Group	CL SAND	CL SAND	CL SAND		
Resistance	UFR	UFR	UFR		
Structure	GR	OK	GR		
Permeability	1:1	1:1	1:1		
ZON II DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
ZON III DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
ZON IV DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
WETNESS					
RESTRICTIVE HORIZON					
COLLIGATE					
CLASSIFICATION					
LONG-TERM ACCEPTANCE RATE	.9	.9	.9		

FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
SCAPE POSITION					
E (ft)					
ZON I DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
ZON II DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
ZON III DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
ZON IV DEPTH					
Soil Group					
Resistance					
Structure					
Permeability					
WETNESS					
RESTRICTIVE HORIZON					
COLLIGATE					
CLASSIFICATION					
LONG-TERM ACCEPTANCE RATE					

CLASSIFICATION:
 DATED BY:
 DVC.

SITE LONG-TERM ACCEPTANCE RATE:
 OTHER(S) PRESENT:

OWNER: Kul Arnold Co PHONE: _____ DATE REC'D: _____ DATE EVALUATED: _____
 ADDRESS: _____ PROPERTY IDENTIFICATION NO.: _____
 COUNTY: _____ PROPERTY SIZE: _____ PROPOSED FACILITY: Dw
 LOCATION OF SITE: A-43 Heritage Village S/D
 WATER SUPPLY: On-Site Well _____ Community _____ Public EVALUATION BY: Auger Boring Pr _____ Crt _____

LANDSCAPE POSITION	Group	TEXTURE	Appl. Rate	LEGEND		
				MOIST	CONSISTENCE	STRUCTURE
R - Ridge	I	s - sand	1.2-0.8	vfr - very friable	WET	sg - single grain
S - Shoulder slope		ls - loamy sand		fr - friable		Ns - non-sticky
L - Linear slope	II	sl - sandy loam	0.8-0.6	f - firm	Ss - slightly sticky	m - massive
FS - Foot slope		l - loam		vfr - very firm	S - sticky	cr - crumb
N - Nose slope	III	sl - silt	0.6-0.3	ext - extremely firm	Vs - very sticky	gr - granular
H - Head slope		sll - silt loam		Np - non-plastic	sbl - subangular blocky	
Cc - Concave slope		scl - silty clay loam		Sp - slightly plastic	abl - angular blocky	
Cv - Convex slope		cl - clay loam		P - plastic	pl - platy	
T - Terrace	IV	scl - sandy clay loam	0.4-0.1		Vp - very plastic	pr - prismatic
FP - Flood Plain		sc - sandy clay				
		c - clay				

Use the above standard abbreviations.

- NOTES:**
- Horizon Depth - in inches
 - Depth of Fill - in inches from land surface
 - Restrictive Horizon - thickness and inches from land surface
 - Moisture - S (suitable) or U (unsuitable)

- NOTES:**
- Soil Wetness - inches from land surface to free water or inches from land surface to soil colors chroma 2 or less - record Munsell color chip designation
 - Classification - S (suitable), PS (provisionally suitable) or U (unsuitable)
 - Long-Term Acceptance Rate - gal/day/ft?

DHS 2501 (Revised _____)
 Sanitation Branch (Review _____)

