

FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
LANDSCAPE POSITION	L	L	L		
OPEN (%)	4	4	4		
RIZON I DEPTH	0-36	0-24	0-20		
Structure Group	LS	LS	LS		
Consistence	NA	NA	NA		
Structure	NA	NA	NA		
Heratology	1.1	1.1	1.1		
RIZON II DEPTH	36-42	24-42	30-42		
Structure Group	SL	SL	SL		
Consistence	NA	NA	NA		
Structure	NA	NA	NA		
Heratology	1.1	1.1	1.1		
RIZON III DEPTH					
Structure Group					
Consistence					
Structure					
Heratology					
RIZON IV DEPTH					
Structure Group					
Consistence					
Structure					
Heratology					
WETNESS	>42	>42	>42		
RESTRICTIVE HORIZON	-	-	-		
PROLITE	-	-	-		
CLASSIFICATION	S	S	S		
LONG-TERM ACCEPTANCE RATE	1.0	0.8	0.8		

FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
LANDSCAPE POSITION					
OPEN (%)					
RIZON I DEPTH					
Structure Group					
Consistence					
Structure					
Heratology					
RIZON II DEPTH					
Structure Group					
Consistence					
Structure					
Heratology					
RIZON III DEPTH					
Structure Group					
Consistence					
Structure					
Heratology					
RIZON IV DEPTH					
Structure Group					
Consistence					
Structure					
Heratology					
WETNESS					
RESTRICTIVE HORIZON					
PROLITE					
CLASSIFICATION					
LONG-TERM ACCEPTANCE RATE					

SITE CLASSIFICATION: _____
 EVALUATED BY: _____
 REMARKS: _____
 SITE LONG-TERM ACCEPTANCE RATE: _____
 OTHER(S) PRESENT: _____

SANITARY SEWAGE SYSTEM

OWNER: Walter Bealman PHONE: _____ DATE REQUESTED: _____ DATE EVALUATED: 6-9-93
 ADDRESS: _____ PROPERTY IDENTIFICATION NO.: _____
 COUNTY: _____ PROPERTY SIZE: _____ PROPOSED FACILITY: _____
 LOCATION OF SITE: Lot # 26 Mine Branch Sec 3
 WATER SUPPLY: On-Site Well _____ Community _____ Public EVALUATION BY: Auger Boring Pit _____ Cut _____

LANDSCAPE POSITION	Group	TEXTURE	Applying Rate	MOIST	LEGEND	STRUCTURE	MINERALOGY
R - Ridge	I	s - sand	1.2-0.8	vfr - very friable	CONSISTENCE	WET	1:1, 2:1, mixed
S - Shoulder slope		ls - loamy sand					
L - Linear slope	II	sl - sandy loam	0.8-0.6	fr - friable	Ns - non-sticky	m - massive	cr - crumb
FS - Foot slope		l - loam					
N - Nose slope	III	sl - silt	0.6-0.3	fl - firm	S - slightly sticky	gr - granular	sbk - subangular blocky
H - Head slope		sil - silt loam					
Cc - Concave slope		sicl - silty clay loam					
Cv - Convex slope		cl - clay loam					
T - Terrace	IV	scl - sandy clay loam	0.4-0.1	vfl - very firm	Vs - very sticky	abk - angular blocky	pl - platy
FP - Flood Plain		sc - sandy clay					
		slc - silty clay					
		c - clay					

Use the above standard abbreviations.

- NOTES:**
- Horizon Depth - in inches
 - Depth of Fill - in inches from land surface
 - Restrictive Horizon - thickness and inches from land surface
 - Saprolite - S (suitable) or U (unsuitable)
- DHS 2601 (Revised _____)
 Sanitation Branch (Review _____)

- NOTES:**
- Soil Wetness - inches from land surface to free water or inches from land surface to soil colors with chroma 2 or less - record Munsell color chip designation
 - Classification - S (suitable), PS (provisionally suitable) or U (unsuitable)
 - Long-Term Acceptance Rate - gal/day/ft²