

IMPROVEMENT PERMIT

No. 6528

As ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Danny Norris New Installation Septic Tank
Property Location: SR 1201 Repairs Nitrification Line
Mire Branch lot # 21

Number of Bedrooms Proposed: 3 Lot Size: 1+ acre

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 900 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 2 exact length 80 width of 3 depth of 20 in. of each ditch ft. ditches ft. ditches in.

French Drain required: _____ Linear feet

This permit is subject to revocation if site is or intended use change.

Date: 6/29/92


Signed: Charles H. Hood Jr.

Environmental Health Specialist

VOID AFTER 5 YEARS

* Maintain 10' from property lines.

Repair Area



→ SR 1201 to Hwy 27 →