

HARNETT COUNTY HEALTH DEPARTMENT

IMPROVEMENT PERMIT

No

5729

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Danny Norris New Installation Septic Tank

Property Location: Morse Branch Repairs Nitrification Line
Lot 44 off Hy 27

Number of Bedrooms Proposed: 3 Lot Size: 150 x 300

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 100' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons


Subsurface No. of exact length width of depth of
ainage Field ditches 2 of each ditch 80 ft. ditches 3 ft. ditches 24 in.

French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 09/30/91
Signed: John H. Boyd P.S.
Environmental Health Specialist

VOID AFTER 5 YEARS



* Contractor
To meet me on
site Before installation.