

# IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Cary Webb (Home Investments Inc)  New Installation  Septic Tank  
 Property Location: SR# 27  Repairs  Nitrification Line

Subdivision Mirc Branch Lot # 102

Tax ID# \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 3 Lot Size: 2.5 ac

Basement with Plumbing:  Garage:

Water Supply:  Well  Public  Community

Distance From Well: 50+ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional  Other \_\_\_\_\_

Size of tank: Septic Tank: 1000 gallons Pump Tank: \_\_\_\_\_ gallons

Subsurface Drainage Field No. of ditches 3 exact length of each ditch 70 ft. width of ditches 3 ft. depth of ditches 24 in.

French Drain required: \_\_\_\_\_ Linear feet


This permit is subject to revocation if site plans or intended use change.

Date: 12-2-93

Signed: Thomas J. Payne

Environmental Health Specialist

VOID AFTER 5 YEARS



septic to be built on property line

old drain to be filled

Maintain Setbacks  
 5' from house  
 10' from property lines

Contractor to meet me on site prior to installation