

IMPROVEMENT PERMIT

No

6860

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Danny Norris New Installation Septic Tank
Property Location: Hwy 27 Repairs Nitrification Line
Mire Branch lot #94

Number of Bedrooms Proposed: 3 Lot Size: ≈ 3/4 acre

Basement with Plumbing: Garage:
Water Supply: Well Public Community
Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
Subsurface Drainage Field No. of ditches 2 exact length of each ditch 100 ft. width of ditches 3 ft. depth of ditches 20 in.
French Drain required: _____ Linear feet

This permit is subject to revocation if site ns or intended use change.

Date: 10/30/92
Signed: Charles Hood
Environmental Health Specialist

VOID AFTER 5 YEARS

* Drive and garage has to be shifted to the left side of the house.

* Maintain 10' off property lines.

