

# IMPROVEMENT PERMIT

No 6147

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Larry K. Allen  New Installation  Septic Tank  
Property Location: Lot # 35  Repairs  Nitrification Line  
Highland Hills SR 1141

Number of Bedrooms Proposed: 3 Lot Size: 1.03 ac

Basement with Plumbing:  Garage:   
Water Supply:  Well  Public  Community  
Distance From Well: N/A ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional  Other \_\_\_\_\_  
Size of tank: Septic Tank: 1000 gallons Pump Tank: \_\_\_\_\_ gallons  
Subsurface Drainage Field No. of 3 exact length 80 width of 3 depth of 24 in.  
ditches of each ditch ft. ditches ft. ditches in.  
French Drain required: \_\_\_\_\_ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 5-4-93  
Signed: [Signature]  
Environmental Health Specialist

VOID AFTER 5 YEARS

