

IMPROVEMENT PERMIT

No. 6234 ✓

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Larry Allen New Installation Septic Tank
Property Location: OFF SR 1141 Repairs Nitrification Line
Highland Hills lot #34
Number of Bedrooms Proposed: 4 Lot Size: 3.87 acres

Basement with Plumbing: Garage:
Water Supply: Well Public Community
Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
Subsurface Drainage Field No. of ditches 5 exact length of each ditch 80 ft. width of ditches 3 ft. depth of ditches 20 in.
French Drain required: _____ Linear feet

Permit is subject to revocation if site use or intended use change.

Date: 1/12/93
Signed: Charles Hood, R.S.
Environmental Health Specialist

VOID AFTER 5 YEARS

- * Maintain 10' from property lines.
- * Ditches to be no deeper than 26"

