

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) (1) Larry K. Allen New Installation Septic Tank
 Property Location: Highland H. 4 1/2, Lot 36 (SR 1141) Repairs Nitrification Line

Number of Bedrooms Proposed: 3 Lot Size: 1.03 acres

Basement with Plumbing: Garage:
 Water Supply: Well Public Community

Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____


Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
 Subsurface No. of 3 ^{PAC 23 Nov 93} exact length 80 ^{PAC 23 Nov 93} width of _____ depth of _____
 Drainage Field ditches 2 of each ditch 150 ft. ditches 3 ft. ditches 18-22 in.
 French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 27 July, 1993
 Signed: [Signature]

Environmental Health Specialist

VOID AFTER 5 YEARS



- * Maintain at least 5' from dwelling
- * Maintain at least 10' from property lines
- * Maintain at least 25' ~~from~~ upslope from drainage ditch
- * Do not build or drive on system or repair areas

PAC
23 Nov 93

(TO SR 1141)