

HARNETT COUNTY HEALTH DEPARTMENT

IN. ROVEMENT PERMI

21282

HTE _____

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Kyle A Hayden New Installation Septic Tank
Property Location: SR# Hwy 68a Ln. Repairs Nitrification Line

* Attempt to Repair

Subdivision _____ Lot # 314

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 2 existing Lot Size: _____

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50 in. ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other 25% Reduction System

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 3 exact length of each ditch 60 ft. width of ditches 3 ft. depth of ditches 18 in.


French Drain Required: _____ Linear feet

Date: 12/17/2004

This permit is subject to revocation if site plans or intended use change.

Signed: Bryce McLean P.S.
Environmental Health Specialist

- * Maintain setbacks
- * Old tank to be crushed + filled in



Jnr Named St.

HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH
AUTORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 21282. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name Kyle A. Haden Telephone # 892-6987

Address 72 Hughes Ln Dunn, N.C. 28334

Property Location SR# 301 Road Name _____

Subdivision _____ Lot # 344 # Bedrooms Proposed 2 exist Lot Size _____

TYPE OF SYSTEM

New Installation Repair Septic Tank Nitrification Lines

Conventional Other 25% reduction system

Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: 50 Ft.

Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 3 Length of lines 60 Ft.

Width of ditches 3 ft. Depth of ditches 18 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Bryan McSwain L.S.
Signature of Authorized Agent for Harnett County

12/17/2004
Date