

# IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) FRANCES JORDAN

New Installation     Septic Tank

Property Location: SR# 1500 BENSON ROAD

Repairs     Nitrification Line

Subdivision \_\_\_\_\_ Lot # \_\_\_\_\_

Tax ID # \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 3 Lot Size: \_\_\_\_\_

Basement with Plumbing:  Garage:

Water Supply:  Well     Public     Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional     Other \_\_\_\_\_

Size of tank: Septic Tank: 1000 gallons    Pump Tank: \_\_\_\_\_ gallons

Subsurface Drainage Field    No. of ditches 4    exact length of each ditch 75 ft.    width of ditches 3 ft.    depth of ditches 18-20 in.


French Drain Required: - Linear feet

Date: 8-19-98

**This permit is subject to revocation if site plans or intended use change.**

Signed: James C. Marshall - RD.  
Environmental Health Specialist

*\*Maintain all setbacks!*



Benson Road SR 1500

HARNETT COUNTY HEALTH DEPARTMENT  
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 15102. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent \_\_\_\_\_

Name: FRANCIS JORDAN Telephone # 635-4102

Address: PO BOX 544 Angier N.C.

Property Location: SR # 1500 Road Name Benson

New Installation  Repair  Septic Tank  Nitrification Lines

Subdivision                      Lot #                     

Number of Bedrooms Proposed: 3 Lot size:                     

Basement  With Plumbing  Without Plumbing

Water Supply: Well  Public  Minimum Well Setback:                      ft.

Type of System: Conventional  Other

Tank Volume: Septic Tank 1000 gallons Pump Chamber                      gallons

Nitrification Field Specifications

Number of fields 2 Number of Lines per Field 4 Length of lines 75

Width of ditches 3 ft. Depth of ditches 18-20 inches

French Drain: Linear feet required                      Depth of gravel                     

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: James E. Mantel Date: 8-18-98

(Revised 2/96)CNSTRCT.WPD