



LANDSCAPE POSITION	GROUP	TEXTURE	LITAB	MOIST (STAR)		STRUCTURE
				MINERALOGY/CONSISTENCY		
CC - CONCAVE SLOPE	1	S - SAND	LS - 0.5	NONEXP - NON-EXPANSIVE SEXP - SLIGHTLY EXPANSIVE EXEP - EXPANSIVE	MOIST	WET
CY - CONVEX SLOPE		LS - LOAMY SAND				
D - DRAINAGE WAY		SL - SANDY LOAM	0.5 - 0.5			
DE - DRAINAGE SLUMP		L - LOAM				
FF - FLOOD PLAIN	2	S - SAND	0.5 - 0.5	NONEXP - NON-EXPANSIVE SEXP - SLIGHTLY EXPANSIVE EXEP - EXPANSIVE	MOIST	WET
FS - FOOT SLOPE		SH - SILTY				
H - HEAD SLOPE		SHCL - SILTY CLAY LOAM	0.5 - 0.5			
L - LINEAR SLOPE		CL - CLAY LOAM				
M - MOUND SLOPE	3	SHL - SANDY CLAY LOAM	0.5 - 0.5	NONEXP - NON-EXPANSIVE SEXP - SLIGHTLY EXPANSIVE EXEP - EXPANSIVE	MOIST	WET
N - NODS		SHC - SILTY LOAM CLAY				
S - SHOULDER SLOPE		SC - SANDY CLAY	0.5 - 0.5			
T - TERRACE		SC - SILTY CLAY				
		O - ORGANIC	NONE			

**NOTES:**

HORIZON DEPTH IN INCHES BELOW NATURAL SOIL SURFACE  
 DEPTH OF FILL IN INCHES FROM LAND SURFACE  
 RESTRICTIVE HORIZON— THICKNESS AND DEPTH FROM LAND SURFACE  
 SAPROLITE S (SUITABLE) OR U (UNSUITABLE)  
 SOIL WETNESS - INCHES FROM LAND SURFACE TO FREE WATER OR INCHES FROM LAND SURFACE TO SOIL COLORS WITH CHROMA 2 OR LESS - RECORD MUNSELL COLOR CHIP DESIGNATION. CLASSIFICATION - S (SUITABLE), PS (PROVISIONALLY SUITABLE), OR U (UNSUITABLE)  
 EVALUATION OF SAPROLITE SHALL BE BY PITS.

LONG-TERM ACCEPTANCE RATE: GAL/DAY/FT<sup>2</sup>

