

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Bill Jones, JR New Installation Septic Tank
 Property Location: SR# 1260 / 421 West Repairs Nitrification Line
1/2 on Raven Rock Rd / 1.5 m on RT on South River / 1/2 on Bayles / 1.5 m on RT
 Subdivision _____ Lot # _____
 Tax ID# _____ Quadrant # _____
 Number of Bedrooms Proposed: 3 Lot Size: 16 Acre
 Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
 Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons
 Subsurface Drainage Field No. of ditches 2 exact length of each ditch 150 ft. width of ditches 3 ft. depth of ditches 36 in.
 French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 3/13/94
 Signed: [Signature]
 Environmental Health Specialist

VOID AFTER 5 YEARS

