

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) John L. Courtney New Installation Septic Tank
Property Location: SR# 1111 Repairs Nitrification Line

Subdivision _____ Lot # _____

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 5.30 ac

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 100 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
Drainage Field ditches _____ of each ditch _____ ft. ditches _____ ft. ditches _____ in.

French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.


Date: 2-8-95

Signed: Thomas J. Boyce

Environmental Health Specialist

VOID AFTER 5 YEARS

Permit to move septic tank only



IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) John L. Courtney New Installation Septic Tank
Property Location: SR# 4111 Marks Rd Repairs Nitrification Line

Subdivision _____ Lot # 18

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 5.30 acres

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 100 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 2 exact length of each ditch 100 ft. width of ditches 3 ft. depth of ditches 18 in.

French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 1-18-95

Signed: J. W. A.
Neighbors will

Environmental Health Specialist

VOID AFTER 5 YEARS

