HTE# Repair

Harnett County Department of Public Health

Improvement Permit

26938


A building permit cannot be issued with only an Improvement Permit			
ISSUED TO: David Newton PROPERTY LOCATION: 364 Mayer Rd. SUBDIVISION LOT # 19+20			
NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:			
Type of Structure: Existing, CFD			
Proposed Wastewater System Type: AS 16 Red Sciency Tex			
Projected Daily Flow: 360 GPD			
Basement			
Pump Required: 🗆 Yes 🖾 No 🗀 May be required based on final location and elevations of facilities Type of Water Supply: 🗆 Community 🗗 Public 🗆 Well Distance from well feet Permit valid for: 🗖 Five years Permit conditions: Mo expiration			
Authorized State Agent: Date: 5/23/2012 SEE ATTACHED SITE SKETCH			
Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.			
Construction Authorization			
(Required for Building Permit)			
The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance			
with the attached system layout.			
ISSUED TO: David Newton PROPERTY LOCATION: 364 Mayerld. SUBDIVISION LOT # 19+20			
SUBDIVISION LOT # 19+20			
Facility Type: Existing SFD			
Basement? Yes No Basement Fixtures? Yes No			
(See note below, if applicable)			
25% leductionlysten (Repair) (/d/2			
Installation Requirements/Conditions Number of trenches			
Septic Tank Size Existing gallons Exact length of each trench feet Trench Spacing: Feet on Center			
Pump Tank Size gallons Trenches shall be installed on contour at a Soil Cover: 12-18 inches			
Maximum Trench Depth of: $24-36$ inches (Maximum soil cover shall not exceed			
(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)			
in all directions)			
Pump Paguirements: fr TDH vs GPM inches below pipe			
Aggregate Depth: inches above pipe			
Conditions: "Tee" in septic tank nay need to be replaced pipe inches above pipe inches total			
WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.			
**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.			
Data			
Owner/Legal Representative Signature: Date:			
This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH			
Authorized State Agent: Date: 5-/23/242			
Construction Authorization Expiration Date: $\frac{5}{23/247}$			

HTE# Repair

Permit # 26938

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: 344 M	ayer Rd.
ISSUED TO: David Aewton	SUBDIVISION	LOT # 19 + 20
Authorized State Agent: Sup Main	eehs D	ate: 5/23/2012



* Drain lines to be 10ft. from water line