

OWNER: Samuel + Christell Parker PHONE: \_\_\_\_\_ DATE REQUESTED: \_\_\_\_\_ DATE EVALUATED: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_ PROPERTY IDENTIFICATION NO.: \_\_\_\_\_  
 COUNTY: \_\_\_\_\_ PROPERTY SIZE: 1.746 acres PROPOSED FACILITY: 40r  
 LOCATION OF SITE: SR 1219  
 WATER SUPPLY: On-Site Well  Community \_\_\_\_\_ Public \_\_\_\_\_ EVALUATION BY: Auger Boring / Pit \_\_\_\_\_ Cut \_\_\_\_\_

LANDSCAPE POSITION	Group	TEXTURE	Applying Rate
R - Ridge	I	s - sand	1.2-0.8
S - Shoulder slope		ls - loamy sand	
L - Linear slope	II	sl - sandy loam	0.8-0.6
FS - Foot slope		l - loam	
N - Nose slope	III	sl - silt	0.6-0.3
H - Head slope		sil - silt loam	
Cc - Concave slope		scl - silty clay loam	
Cv - Convex slope		cl - clay loam	
T - Terrace	IV	scl - sandy clay loam	0.4-0.1
FP - Flood Plain		sc - sandy clay	
		sic - silty clay	
		c - clay	

**LEGEND**


MOIST	WET	STRUCTURE	MINERAL
vtr - very friable	Ns - non-sticky	sg - single grain	1:1, 2:1, m
fr - friable	Ss - slightly sticky	m - massive	
f - firm	S - sticky	cr - crumb	
vff - very firm	Vs - very sticky	gr - granular	
sil - extremely firm	Np - non-plastic	sbk - subangular blocky	
	Sp - slightly plastic	abk - angular blocky	
	P - plastic	pl - platy	
	Vp - very plastic	pr - prismatic	

Use the above standard abbreviations.

- NOTES:**
- Horizon Depth - in inches
  - Depth of Fill - in inches from land surface
  - Restrictive Horizon - thickness and inches from land surface
  - Saprotic - S (suitable) or U (unsuitable)

- NOTES:**
- Soil Wetness - inches from land surface to free water or inches from land surface to soil colors with chroma 2 or less - record Munsell color chip designation
  - Classification - S (suitable), PS (provisionally suitable) or U (unsuitable)
  - Long-Term Acceptance Rate - gal/day/ft<sup>2</sup>

DHS 2501 (Revised \_\_\_\_\_)  
 Sanitation Branch (Review \_\_\_\_\_)



FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
CAPE POSITION	L	L	L	L	L
(%)	2-4%	2-4%	2-4%	2-4%	2-4%
ON I DEPTH	0-20	0-20	0-20	0-16	0-12
Group					LS
ence					
re					
logy					
ON II DEPTH	20-30	20-32	20-28	16-20	12-24
Group	SCL	SCL	SCL	SL	SL
ence					
re					
logy					
ON III DEPTH	30-34	32-36	28-36	20-34	24-32
Group	SC	SC	SC	SCL	SCL
ence					
re					
logy					
ON IV DEPTH					32-36
Group					SC
ence					
re					
logy					
NETNESS	@34			@34	
CTIVE HORIZON					
LITE					
IFICATION	P	P	P	P	P
ERM	.4	.4	.4	.4	.4
TANCE RATE					

FACTORS	PROFILE 1	PROFILE 2	PROFILE 3	PROFILE 4	PROFILE 5
CAPE POSITION	L				
(%)	2-4%				
ON I DEPTH	0-20				
Group	SL				
ence					
re					
logy					
ON II DEPTH	30-34				
Group	SC				
ence					
re					
logy					
ON III DEPTH					
Group					
ence					
re					
logy					
ON IV DEPTH					
Group					
ence					
re					
logy					
NETNESS	@34				
CTIVE HORIZON					
LITE					
IFICATION	P				
ERM	.4				
TANCE RATE					

CLASSIFICATION: P SITE LONG-TERM ACCEPTANCE RATE: .4  
 DATED BY: OTHER(S) PRESENT:  
 RKS: 2 @ 130