

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Paul O'Dell New Installation Septic Tank
 Property Location: SR# Hwy 42 Repairs Nitrification Line

Subdivision _____ Lot # 1

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 6 - Two MH's Lot Size: .69 AC

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1500 gallons Pump Tank: _____ gallons

Subsurface No. of 4 exact length 75 width of 3 depth of 36
 Drainage Field ditches of each ditch ft. ditches ft. ditches in.

French Drain Required: _____ Linear feet


Date: 4-27-97

This permit is subject to revocation if site plans or intended use change.

Signed: Jeff Eudy
 Environmental Health Specialist

VOID AFTER 5 YEARS

*Keep > 50'
 from well sept
 door.*



Hwy 42

HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 11844. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent Paul O'Dell

Name: _____ Telephone # 362-4297

Address: Raleigh N.C.

Property Location: SR # _____ Road Name Hwy 42

New Installation Repair _____ Septic Tank Nitrification Lines

Subdivision _____ Lot # 1

Number of Bedrooms Proposed: Two SW MH's 6 Lot size: .69 AC

Basement _____ With Plumbing _____ Without Plumbing _____

Water Supply: Well _____ Public Minimum Well Setback: _____ ft.

Type of System: Conventional Other _____

Tank Volume: Septic Tank 1500 gallons Pump Chamber _____ gallons

Nitrification Field Specifications

Number of fields 1 Number of Lines per Field 4 Length of lines 4 at 75'

Width of ditches 3 ft. Depth of ditches 36 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Jeff Eudy Date: 4-27-97