

# SANITARY SEWAGE SYSTEM

OWNER: INGRAM Home NEAR ROAD AND AT REAR of property PHONE: \_\_\_\_\_ DATE REQUESTED: 7-16-94 DATE EVALUATED: \_\_\_\_\_  
 ADDRESS: \_\_\_\_\_ PROPERTY IDENTIFICATION NO.: \_\_\_\_\_  
 COUNTY: \_\_\_\_\_ PROPERTY SIZE: 2.46 ac PROPOSED FACILITY: Two 36" SWMH  
 LOCATION OF SITE: FALCON Rd  
 WATER SUPPLY: On-Site Well \_\_\_\_\_ Community \_\_\_\_\_ Public X EVALUATION BY: Auger Borings X PR \_\_\_\_\_

LANDSCAPE POSITION	Group	TEXTURE	App. Rate
R - Ridge	I	s - sand	1.2-0.8
S - Shoulder slope		lg - loamy sand	
L - Linear slope	II	sl - sandy loam	0.8-0.6
S - Foot slope		l - loam	
N - Nose slope	III	sl - silt	0.6-0.3
H - Head slope		sl - silt loam	
c - Concave slope		slcl - silty clay loam	
v - Convex slope		cl - clay loam	
T - Terrace	IV	scf - sandy clay loam	0.4-0.1
P - Flood Plain		sc - sandy clay	
		slc - silty clay	
		c - clay	

### LEGEND

MOIST	WET	STRUCTURE
vtr - very friable	Ns - non-sticky	sg - single grain
fr - friable	Se - slightly sticky	m - massive
ff - firm	S - sticky	cr - crumb
vff - very firm	Vs - very sticky	gr - granular
eff - extremely firm	Np - non-plastic	sbk - subangular blocky
	Sp - slightly plastic	abk - angular blocky
	P - plastic	pl - platy
	Vp - very plastic	pr - prismatic

Use the above standard abbreviations.  
**UNITS:**  
 Depth - in inches  
 Depth of Fill - in inches from land surface  
 Thickness of Horizon - thickness and inches from land surface  
 Moisture - S (suitable) or U (unsuitable)  
 IS 2801 (Revised \_\_\_\_\_)  
 Division Branch (Review \_\_\_\_\_)

**NOTES:**  
 Soil Wetness - inches from land surface to free water or inches from land surface to soil color chroma 2 or less - record Munsell color chpt designation  
 Classification - S (suitable), PS (provisionally suitable) or U (unsuitable)  
 Long-Term Acceptance Rate - gal/day/ft<sup>2</sup>





