

HTE# _____

IMPROVEMENT PERMIT 23150

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) ROSS STEENSTRA New Installation Septic Tank Repair

Property Location: SR# Raymond Avery RD # 471 Nitrification Line Expansion

Subdivision _____ Lot # _____

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 2000 2406PD Lot Size: 1.21 acres

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other 25% REDUCTION SYSTEM

Size of tank: Septic Tank: EXISTING TANK gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 2 ft. exact length of each ditch 100 ft. width of ditches 3 ft. depth of ditches 24" in.

French Drain Required: - Linear feet


Date: 9-27-06

This permit is subject to revocation if site plans or intended use change.

PERMIT EXPIRES 5 YEARS FROM ABOVE DATE

TANK NEEDS FILTER + RISER

Signed: James E. Markant
Environmental Health Specialist



HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 23150. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name ROSS STEINSTR Telephone # 857-4124

Address 370 Raymond Avenue RD Erwin N.C. 28335

Property Location SR# _____ Road Name Raymond Avenue

Subdivision _____ Lot # _____ # Bedrooms Proposed 2 BR 2406PD Lot Size 1.21 acs

TYPE OF SYSTEM

New Installation Repair Septic Tank Nitrification Lines

Conventional Other 25% REDUCTION SYSTEM

Basement With Plumbing Without Plumbing

Water Supply: Well Public Water Supply Minimum Well Setback: 50 Ft.

Septic Tank Existing gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 2 Length of lines 120 Ft.

Width of ditches 3 ft. Depth of ditches 24 inches

French Drain: Linear feet required - Depth of gravel -

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Signature of Authorized Agent for Harnett County James E. McManis

Date 7-27-06