

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Thomas W. Stews New Installation Septic Tank
 Property Location: SR# 1132 Repairs Nitrification Line

Subdivision Hubert F. McDonald Lot # 2

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 2 Lot Size: 14.39 ac

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50+ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
 Drainage Field ditches 3 of each ditch 90 ft. ditches 3 ft. ditches 12-18 in.

French Drain Required: _____ Linear feet


Date: 7-3-97

This permit is subject to revocation if site plans or intended use change.

Signed: Thomas J. Boyce
 Environmental Health Specialist

VOID AFTER 5 YEARS

*Maintain setbacks
 install on contour
 Contractor to meet on
 site prior to installing
 Box may be at other end
 Final layout may change*



SR 1132

**HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT**

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 12150. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent Thomas Stives

Name: Thomas Stives Telephone # 893-4391

Address: Rt 6 Box 99-D Lillington NC 27546

Property Location: SR # 1132 Road Name Loop

New Installation Repair Septic Tank Nitrification Lines

Subdivision Hubert F. McDonald Lot # 2

Number of Bedrooms Proposed: 2 Lot size: 14.39ac

Basement With Plumbing Without Plumbing

Water Supply: Well Public Minimum Well Setback: 50ft ft.

Type of System: Conventional Other

Tank Volume: Septic Tank 1000 gallons Pump Chamber _____ gallons

Nitrification Field Specifications

Number of fields 1 Number of Lines per Field 3 Length of lines 90

Width of ditches 3 ft. Depth of ditches 12-18 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: Thomas J. Boyce R.S. Date: 7-3-97