

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Raleigh Durham Const. Co. New Installation Septic Tank
 Property Location: SR# (1456) 401 North from Lillingford Repairs Nitrification Line
T/R Rawls CH. Rd T/R on Hilliard Rd T/L into sub-Div. lot on left.
 Subdivision Hilliard Place Lot # 2
 Tax ID# _____ Quadrant # _____
 Number of Bedrooms Proposed: 3 Lot Size: 0.98 Acres
 Basement with Plumbing: Garage:
 Water Supply: Well Public Community
 Distance From Well: N/A ft.


Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____
 Size of tank: Septic Tank: 1000 gallons Pump Tank: N/A gallons
 Subsurface Drainage Field No. of ditches 2 exact length of each ditch 150 ft. width of ditches 3 ft. depth of ditches 24 in.
 French Drain required: NO Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 11/15/95
 Signed: H. Ben Phillips
 Environmental Health Specialist

VOID AFTER 5 YEARS



* House was not staked out at time of evaluation
 * Permit written based on site plan, if House site changes from what is shown This Permit will be Void!!