

# IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Chris Surles  New Installation  Septic Tank  
 Property Location: SR# Hwy 421 E / left  Repairs  Nitrification Line  
on Brickmill Rd / to Clayhole Rd / on left across from 4th house on st.  
 Subdivision \_\_\_\_\_ Lot # \_\_\_\_\_  
 Tax ID# \_\_\_\_\_ Quadrant # \_\_\_\_\_  
 Number of Bedrooms Proposed: 3 Lot Size: \_\_\_\_\_  
 Basement with Plumbing:  Garage:   
 Water Supply:  Well  Public  Community  
 Distance From Well: \_\_\_\_\_ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional  Other \_\_\_\_\_  
 Size of tank: Septic Tank: 1000 gallons Pump Tank: \_\_\_\_\_ gallons  
 Subsurface No. of exact length width of depth of  
 Drainage Field ditches 2 of each ditch 170 ft. ditches 3 ft. ditches 30 in.  
 French Drain required: \_\_\_\_\_ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 3/6/94  
 Signed: [Signature]

Environmental Health Specialist

VOID AFTER 5 YEARS

