neight ?

HARNETT COUNTY HEALTH DEPARTMENT ENVIRONMENTAL HEALTH SECTION 307 W. CORNELIUS HARNETT BLVD. LILLINGTON, NC 27546 910-893-7547 PHONE 910-893-9371 FAX

Application for Repair

EMAIL ADDRESS:

bgbest1@earthlink.net			
NAME ben bestBen 1		9 M	0- 9-263-2096
PHYSICAL ADDRESS 2188 hodges ch 27504	apel road ,benson,n.c. 27	504	
MAILING ADDRESS (IF DIFFFERENT 1	THAN PHYSICAL) _p o box &	274, Benson, NC	27504
IF RENTING, LEASING, ETC., LIST PRO	PERTY OWNER NAME		
			hodges chapel
road_,benson,nc 27504 SUBDIVISION NAME	LOT #/TRACT #	STATE RD/HWY	, SIZE OF LOT/TRACT
Type of Dwelling: [] Modular	[] Mobile Home [x	Stick built [] Other	
Number of bedrooms _3 [] Basement		
Garage: Yes[]No[xx] Disposal: Yes[]No[x]	Dishwasher: Yes [] No [x]		Garbage
Water Supply: [] Private Well	[] Community System	[x] County	
Directions from Lillington to your sit house on left	e: _hwy 421 to dunn then 3	301 north approx. 6 miles turn l	eft on hodges chapel road 1°

In order for Environmental Health to help you with your repair, you will need to comply by completing the following:

1. A <u>"surveyed and recorded map"</u> and <u>"deed to your property"</u> must be attached to this application. Please inform us of any wells on the property by showing on your survey map.

2. The outlet end of the tank and the distribution box will need to be uncovered and property lines flagged. After the tank is uncovered, property lines flagged, underground utilities marked, and the orange sign has been placed, you will need to call us at 910-893-7547 to confirm that your site is ready for evaluation.

Your system must be repaired within 30 days of issuance of the Improvement Permit or the time set within receipt of a violation letter. (Whichever is applicable.)

10/22/13 N

	ing below, I certify that all of the above information is correct to the best of my knowledge. False information will result in its last of the permit. The permit is subject to revocation if the site plan, intended use, or ownership changes.
K	SH Best 10-22-13
Signati	
	HOMEOWNER INTERVIEW FORM
	portant that you answer the following questions for our inspectors. Please do not leave any blanks if le, and answer all questions to the best of your ability. Thank You.
	you received a violation letter for a failing system from our office? []YES xNO within the last 5 years have you completed an application for repair for this site? []YES[x]NO
Year h	ome was built (or year of septic tank installation)
Septic	Tank Pumperq
Design	per of Systemq
	Number of people who live in house?2_# adults1# children# total What is your average estimated daily water usage?qgallons/month or dayqcounty water. If HCPU please give the name the bill is listed in ben g best
	If you have a garbage disposal, how often is it used? [] daily [] weekly [] monthly When was the septic tank last pumped?qHow often do you have it pumped?
5.	never If you have a dishwasher, how often do you use it? [] daily [] every other day [x] weekly
6.	If you have a washing machine, how often do you use it? [] daily [] every other day [x] weekly [] monthly
7.	Do you have a water softener or treatment system? [] YES [x] NO Where does it drain?
8.	Do you use an "in tank" toilet bowl sanitizer? [] YES [x] NO
	Are you or any member in your household using long term prescription drugs, antibiotics or chemotherapy?] [] YES [x] NO If yes please list
10.	Do you put household cleaning chemicals down the drain? [] YES [x] NO If so, what kind?
	Have you put any chemicals (paints, thinners, etc.) down the drain? [] YES [x] NO Have you installed any water fixtures since your system has been installed? [x] YES [] NO If yes, please list any additions including any spas, whirlpool, sinks, lavatories, bath/showers, toilets _none
	Do you have an underground lawn watering system? [] YES [x] NO Has any work been done to your structure since the initial move into your home such as, a roof, gutter drains, basement foundation drains, landscaping, etc? If yes, please list

first notice	ed?					
Do you no	tico the pro	hlom as boing nat	tornad ar linkad t	o o specific over	at /i a wash als	thee bee
rains, and list	household	oblem as being path guests?) [] YES [x] NO If Yes, plea	o a specific ever ase	it (i.e., wash cid	otnes, neav

,

plat was drawn under my supervision (deed description recorded in Book not surveyed are clearly indicated a this plat; that the ratio of precision accordance with G.S. 47–30 as amer	nal Land Surveyor No. L-12// certify that this from an actual survey made under my supervision Page	S04*28*16"W 314.21	
municipality that has an ord B. That the survey is located in unregulated as to an ordinan C. Any one of the following: (1) parcels of land and does not (2) That the survey is of an feature, such as a watercour. That the survey is of another parcels, a court-ordered survey to make a determination to provisions contained in (A) the		5), 25 W 551, 29, 50, 12.	13 -
Witness my original signature, regis A.D., 20_00. Seal or Stamp	tration number and seal this & day of MAY Surveyor		
ريون المعادي	Registration Number	564.51.25"W \$157/NG PON	
CAPO SESSO	BOLD BRANCH		
	806.28.4 116.05	SET IRON CORNER CHOPS	NE.
THE LAND STATES	/	SET ROD AT DEAD PINE	STUMP IN PINE
SEAL SEAL	523°57'58"E	SET IRON STAKE IN SET IRON STUMP STUMP	554.4.
SEAL SEAL	25/	165555 48	82.76
SEAL L-1211 OSURYER	S. O. REN	N80°02'27 2 108.97 V2	
SEAL L-1211 OS SURVERINGENERAL PROPERTY OF THE	S. S	STASTIN	
	TOTAL STATES	SET SET LIKE LET	




EXHIBIT "A"

BEGINNING at an existing iron stake located about 30 feet east of the centerline of S.R. 1709, said stake also being located 20.22 feet northwest of a stake in the center of an old road, said stake being the northeastern corner for 17.69 acre tract known as Lot 3 in the Division of the Joseph H. Lee Estate recorded in Deed Book 857, Page 360-362, Commissioners Report for Old Division being recorded in Book 290, Page 613, of the Harnett County Registry, and leaving S.R. 1709, runs as an old road, North 79 degrees 18 minutes 40 seconds West 240.72 feet to a 3/4 inch existing iron pipe, northeastern corner for Ben Best; thence as the line of Ben Best and with the following information being taken from a map titled R. D. Lee dated March 30, 1968 and not having been surveyed at this time: South 02 degrees 41 minutes 00 seconds East 106.0 feet to a pine, and thence South 61 degrees 32 minutes 00 seconds West 134.0 feet to a hickory, and thence South 47 degrees 27 minutes 00 seconds West 201.80 feet to a stake in an oak stump, and thence South 78 degrees 50 minutes 00 seconds West 125.80 feet to a gum. and thence North 75 degrees 00 minutes 00 seconds West 140.50 feet to a stake, and thence North 49 degrees 07 minutes 00 seconds West 152.0 feet to a pine stump, and thence North 74 degrees 43 minutes 00 seconds West 124.50 feet to a gum, and thence South 51 degrees 29 minutes 59 seconds West 112.23 feet to an existing iron pipe; thence continuing as lines that were surveyed at this time and as the line of the V. T. Lee Heirs, South 59 degrees 21 minutes 25 seconds West 96.27 feet to an existing iron, and South 64 degrees 51 minutes 25 seconds West 264.0 feet to an iron stake; thence South 06 degrees 28 minutes 41 seconds East 116.05 feet to a set rod at a dead pine; thence South 23 degrees 57 minutes 58 seconds East 65.94 feet to an iron stake set in a maple stump; thence South 58 degrees 17 minutes 05 seconds East 148.41 feet to an existing lightwood stake and set steel road; thence North 80 degrees 02 minutes 27 seconds East 108.97 feet to a 1/2 inch set rebar; thence North 65 degrees 55 minutes 30 seconds East 119.48 feet to a 1/2 inch set rebar in a pine stump; thence South 54 degrees 43 minutes 50 seconds East 82.76 feet to a 1/2 inch rebar in a pine stump; thence South 78 degrees 15 minutes 56 seconds East 103.17 feet to a 1/2 inch set rebar in a pine stump; thence South 83 degrees 33 minutes 38 seconds East 89.67 feet to a 1/2 inch set rebar in a pine stump; thence South 62 degrees 24 minutes 10 seconds East 55.80 feet to a 1/2 inch set rebar; thence South 82 degrees 00 minutes 50 seconds East 73.56 feet to a 1/2 inch rebar in a pine stumphole; thence South 54 degrees 37 minutes 34 seconds East 99.58 feet to a 1/2 inch rebar; thence North 79 degrees 16 minutes 07 seconds East 383.87 feet to an iron stake set beside a large pine; thence South 08 degrees 15 minutes 53 seconds East 394.16 feet to an existing iron stake 6 inches below the ground; thence South 79 degrees 26 minutes 01 second East 61.22 feet to an existing nail and set PK nail 4 feet West of the center of S.R. 1709; thence along S.R. 1709, North 23 degrees 36 minutes 50 seconds East 362.87 feet to an existing nail and set PK nail 4 feet West of the centerline, and North 21 degrees 51 minutes 10 seconds East 141.99 feet to an existing nail and set PK nail 1 foot East of the centerline, and North 17 degrees 36 minutes 20 seconds East 65.06 feet to an existing nail and set PK nail 9 feet East of the centerline, and North 08 degrees 37 minutes 50 seconds West 379.63 feet to an existing iron stake 31 feet east of the centerline, and North 35 degrees 37 minutes 01 second West 166.20 feet to the point of BEGINNING and contains 17.51 acres more or less.

Grantors herein convey all their undivided interest in the above described property.

HARNETT COUNTY IN STEEL 2:17 0M