

Owner:

Address:

Applicant:

Proposed Facility:

Design Flow (.1949):

Date Evaluated: 5/27/08

Location of Site:

Property Size:

Water Supply:

~~()~~ Public

☐ Individual

☐ Well

Property Recorded:

Evaluation Method:

[✓] Auger Boring

[] Pit

☐ Spring

☐ Other

Type of Wastewater:

[] Sewage

☐ Industrial Process

[] Cut

☐ Mixed[illegible]

Description	Initial System	Repair System
Available Space (.1945)		✓
System Type(s)		2576
Site LTAR		35

Other Factors (.1946):

Site Classification (.1948): *PS*

Evaluated By: *Ban*

Others Present:

COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM	SS-SLIGHTLY STICKY
FS-FOOT SLOPE		L-LOAM			
N-NOSE SLOPE	III	SI-SILT-	0.6 - 0.3	VFI-VERY FIRM	VS-VERY STICKY
H-HEAD SLOPE		SIL-SILT LOAM			
CC-CONCLAVE SLOPE		CL-CLAY LOAM			
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			
T-TERRACE		SICL-SILTY CLAY LOAM			
FP-FLOOD PLAN	IV	SIC-SILTY CLAY	0.4 - 0.1	EFI-EXTREMELY FIRM	NP-NON-PLASTIC
		C-CLAY			
		SC-SANDY CLAY			
		MINERALOGY			
		SLIGHTLY EXPANSIVE			
		EXPANSIVE			
STRUCTURE					
SG-SINGLE GRAIN					
M-MASSIVE					
CR-CRUMB					
GR-GRANULAR					
SBK-SUBANGULAR BLOCKY					
ABK-ANGULAR BLOCKY					
PL-PLATY					
PR-PRISMATIC					

Show profile locations and other site features (dimensions, reference or benchmark, and North).



