

## IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) JANNA N. DUNN☒ New Installation ☒ Septic TankProperty Location: SR# 1709 Hodges Chapel☐ Repairs☒ Nitrification LineSubdivision \_\_\_\_\_ Lot # 2A

Tax ID # \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 3 Lot Size: 1 AcreBasement with Plumbing: ☐ Garage: ☐Water Supply: ☒ Well ☒ Public ☐ CommunityDistance From Well: 50' ft.


Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional 1250 ☐ Other \_\_\_\_\_Size of tank: Septic Tank: 1250 gallons Pump Tank: \_\_\_\_\_ gallonsSubsurface No. of exact length width of depth of  
Drainage Field ditches 2 of each ditch 150 ft. ditches 3 ft. ditches 18-24 in.French Drain Required: - Linear feetDate: 5-9-97

\* This permit is subject to revocation if site plans or intended use change.

Signed: James E. Monahan, Jr.  
Environmental Health Specialist

SR 1709



\* Maintain all setbacks

\* KEEP NITRIFICATION LINE'S  
High + Tight to ENSURE  
Setback from well.

HARNETT COUNTY HEALTH DEPARTMENT  
**AUTHORIZATION TO CONSTRUCT**

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 12296. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent JANNA N DUNN

Name: JANNA N DUNN Telephone # 894-5129

Address: 266 Allen Cross Road Road Four Oaks N.C. 27524

Property Location: SR # 1709 Road Name Hodges Chapel

New Installation ☒ Repair ☐ Septic Tank ☒ Nitrification Lines ☒

Subdivision \_\_\_\_\_ Lot # 2A

Number of Bedrooms Proposed: 3 Lot size: 1 acre

Basement ☐ With Plumbing ☐ Without Plumbing ☐

Water Supply: Well ☒ Public ☒ Minimum Well Setback: 80' ft.

Type of System: Conventional ☒ Other ☐

Tank Volume: Septic Tank 1250 ~~1000~~ gallons Pump Chamber \_\_\_\_\_ gallons

**Nitrification Field Specifications**

Number of fields 2 Number of Lines per Field 2 Length of lines 150

Width of ditches 3 ft. Depth of ditches 18-24 inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: James E. Nantais R.S. Date: 5-5-97