

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Ronald Evans ☒ New Installation ☒ Septic Tank  
Property Location: SR# 1403 Caterbury Rd ☐ Repairs ☒ Nitrification Line

Tax ID# \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 3 Lot Size: 3.0 Acres

Water Supply: ☐ Well ☒ Public ☐ Community

Distance From Well: 50<sup>+</sup> ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional ☐ Other \_\_\_\_\_

Size of tank: Septic Tank: 1000 gallons Pump Tank: \_\_\_\_\_ gallons

Subsurface Drainage Field No. of ditches 2 exact length of each ditch 100 ft. width of ditches 3 ft. depth of ditches 18.24 in.

French Drain required: \_\_\_\_\_ Linear feet

**This permit is subject to revocation if site plans or intended use change.**

Date: 11-1-94

Signed: James E. Mahoney

Environmental Health Specialist

**VOID AFTER 5 YEARS**

