

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows:
 Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Priscilla Ross New Installation Septic Tank

Property Location: SR 1437 Repairs Nitrification Line

Grayland Drive lot #5

Number of Bedrooms Proposed: 3 Dish Washer Garbage Disposal

Lot Size: .461 acres Water Supply: Well City Community

Distance From Well?

Above information certified by: App.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Kind of Material for Tank: Concrete Other

Size of Tank: Capacity 1000 Gallons

Subsurface Drainage Field: No. of Ditches 4 Exact Length of each Ditch 75 Ft. Width of Ditches 3 Ft. Depth of Ditches 20 Inches

Any Change in the layout of this system without prior approval of the issuing authority will result in this permit being void.

Date: 11/29/90

Signed: Charles Wood Jr
 (SANITARIAN)

Void After 5 Years

- * This permit is subject to revocation if site plans or intended use change.
- * Maintain 10' from property lines.
- * Maintain 5' from mobile home.

