

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) LENA FIRSOVS ☒ New Installation ☒ Septic Tank
Property Location: SR# 1213 ☐ Repairs ☐ Nitrification Line

Subdivision CURTIS HAIR ESTATE Lot # 4A

Tax ID# _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 1.01

Basement with Plumbing: ☐ Garage: ☐

Water Supply: ☒ Well ☐ Public ☐ Community

Distance From Well: 100' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional ☐ Other _____

Size of tank: Septic Tank: 400 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
Drainage Field ditches 2 of each ditch 170 ft. ditches 3 ft. ditches 18 in.

French Drain required: — Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 1-8-94

Signed: Steve Burton R.S.

Environmental Health Specialist

VOID AFTER 5 YEARS

