

☐ Mixed[illegible]

Description	Initial System	Repair System	Other Factors (.1946): Site Classification (.1948):
Available Space (.1945)			Evaluated By:
System Type(s)			Others Present:
Site LTAR			

COMMENTS: \_\_\_\_\_

LANDSCAPE POSITIONS

R-RIDGE  
S-SHOULDER SLOPE  
L-LINEAR SLOPE  
FS-FOOT SLOPE  
N-NOSE SLOPE  
H-HEAD SLOPE  
CC-CONCLAVE SLOPE  
CV-CONVEX SLOPE  
T-TERRACE  
FP-FLOOD PLAN

GROUPTEXTURES.1955 LTARCONSISTENCE MOISTWET

I

S-SAND  
LS-LOAMY SAND

1.2 - 0.8

VFR-VERY FRIABLE

NS-NON-STICKY

II

SL-SANDY LOAM  
L-LOAM

0.8 - 0.6

FR-FRIABLE

SS-SLIGHTY STICKY

FI-FIRM

S-STICKY

VFI-VERY FIRM

VS-VERY STICKY

EFI-EXTREMELY FIRM

NP-NON-PLASTIC

III

SI-SILT  
SIL-SILT LOAM  
CL-CLAY LOAM  
SCL-SANDY CLAY LOAM

0.6 - 0.3

SP-SLIGHTLY STICKY

P-PLASTIC

VP-VERY PLASTIC

IV

SIC-SILTY CLAY  
C-CLAY  
SC-SANDY CLAY

0.4 - 0.1

STRUCTURE


SG-SINGLE GRAIN  
M-MASSIVE  
CR-CRUMB  
GR-GRANULAR  
SBK-SUBANGULAR BLOCKY  
ABK-ANGULAR BLOCKY  
PL-PLATY  
PR-PRISMATIC


MINERALOGY

SLIGHTLY EXPANSIVE

EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)





3 x 25  
19-26