

HTE# Repair

Harnett County Department of Public Health

28267

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

PROPERTY LOCATION: 735 W. Church St.ISSUED TO: Delma G. France Jr.

SUBDIVISION

LOT #

NEW ☐ REPAIR ☒ EXPANSION ☐

Site Improvements required prior to Construction Authorization Issuance:

Type of Structure: SFDProposed Wastewater System Type: Pump to 25% Reduction SystemProjected Daily Flow: 240 GPDNumber of bedrooms: 2 Number of Occupants: 4 maxBasement ☐ Yes ☒ NoPump Required: ☒ Yes ☐ No ☐ May be required based on final location and elevations of facilitiesType of Water Supply: ☐ Community ☒ Public ☐ Well Distance from well _____ feetPermit valid for: 60 days ☐ Five years ☐ No expiration

Permit conditions:

Authorized State Agent: Brya McLean, REHSDate: 4/7/2015

SEE ATTACHED SITE SKETCH

The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Delma G. France Jr.PROPERTY LOCATION: 735 W. Church St.

SUBDIVISION

LOT #

Facility Type: SFD ☐ New ☐ Expansion ☒ RepairBasement? ☐ Yes ☐ No Basement Fixtures? ☐ Yes ☐ NoType of Wastewater System** _____ (Initial) Wastewater Flow: 240 GPD(See note below, if applicable ☐)Pump to 25% Reduction System (Repair)

Installation Requirements/Conditions

Septic Tank Size Existing gallonsPump Tank Size 1000 gallonsNumber of trenches 4Exact length of each trench 50 feet

Trenches shall be installed on contour at a

Maximum Trench Depth of: 18-24 inches(Trench bottoms shall be level to $\pm 1/4$ "

in all directions)

Trench Spacing: 9 Feet on CenterSoil Cover: 6 inches

(Maximum soil cover shall not exceed 36" above the trench bottom)

Pump Requirements: _____ ft. TDH vs. _____ GPM

Aggregate Depth: _____ inches below pipe

_____ inches above pipe

_____ inches total

Conditions: System has been Flagged on propertyD-Box & supply line can be 5ft from property line

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____

Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit.

SEE ATTACHED SITE SKETCH

Authorized State Agent: Brya McLean, REHSDate: 4/7/2015Construction Authorization Expiration Date: 6/7/2015

HTE# Repair

Permit # 28267

Harnett County Department of Public Health Site Sketch

ISSUED TO: Delma G. France Jr. PROPERTY LOCATOR: 735 W. Church Street
SUBDIVISION _____ LOT # _____

Authorized State Agent: Brya McSwain, RCHS Date: 4/7/2015

