HTE# Repair

Harnett County Department of Public Health

28137

Improvement Permit

A	building permit cannot be issued with only an Improvement Permit
3 , 10 51,	PROPERTY LOCATION: 88 H H M C Roy Ln
ISSUED TO: Orenda M. Slade	The state of the s
NEW - REPAIR - EXPANSIO	ON Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: Existing SFD	
Proposed Wastewater System Type: 25% Rate	iction System
Projected Daily Flow: 360 GPD	
Number of bedrooms: Number of Occu	pants: G max
Basement Yes No	NOSCH 1
Pump Required: □Yes ☑ No □ May be requ	ired based on final location and elevations of facilities
Type of Water Supply: Community Public	
Permit conditions:	□ No expiration
Termit conditions.	——————————————————————————————————————
	, ,
Authorized State Agent:: Type Nilve	REAS Date: 1/6/2015 SEE ATTACHED SITE SKETCH
The issuance of this permit by the Health Department in no way must	ntees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
	changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the cars and notes for seringe freathern and bisposa and to condition	5 of this permit.
	Construction Authorization
	(Required for Building Permit)
The construction and installation requirements of Rules .1950, .1952,	954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
with the attached system layout.	
3	
ISSUED TO: Drenda M. S/ada	SUBDIVISIONLOT #
	SUBDIVISIONLOT #
Facility Type: SFD	□ New □ Expansion □ Repair
Basement? Yes No Basement Fix	The state of the s
Type of Wastewater System**	(Initial) Wastewater Flow: 3 6 C GPD
	(IIIIIai) Wastewater riow Grb
(See note below, if applicable)	L. C. C.
w /orec	Number of trenches (Repair)
Installation Requirements/Conditions	
Septic Tank Size Existing gallons	Exact length of each trench feet Trench Spacing: Feet on Center Trenches shall be installed on contour at a Soil Cover: inches
Pump Tank Size gallons	Trenches shall be installed on contour at a Soil Cover: 6 inches
8	Maximum Trench Depth of: 18.24 inches (Maximum soil cover shall not exceed
	(Trench bottoms shall be level to +/-1/4" 36" above the trench bottom)
	in all directions)
Pump Requirements:ft. TDH vs	GPM inches below pipe
	Aggregate Depth: inches above pipe
Conditions:	
	Inclies total
WATER LINES (INCLUDING IRRIGATION) MUST	DE JOIT FROM MINISTRE CERTIC CUCTEM OR REPAIR ARE
WATER LINES (INCLUDING IRRIGATION) MUST	BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR I	DRAIN FIELD AREA.

<u>and applicable:</u> I understand the system type specified	d is different from the type specified on the application. I accept the specifications of this permit.
Owner/Legal Representative Signature:	Date:
This Construction Authorization is subject to revocation if the site plan,	plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
	of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH
Authorized State Assets / S	12 18HC
Authorized State Agent: Juyan M	Date: 1/6/20/3
	Construction Authorization Expiration Date:/ 6 / 2 0 2 0

HTE#	Repair	
7.010.00 (B.C.) (4		

Permit # _____ 28137

Harnett County Department of Public Health Site Sketch

	PROPERTY LOCATON: 88 H 1+ M	ckoy Ln.
ISSUED TO: Brenda M. Slade	SUBDIVISION	LOT #
Authorized State Agent: Buy Milion Rea	tff Date: _	1/6/2015

