

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Ronald Kelly ☒ New Installation ☒ Septic Tank
Property Location: SR# 27W 15m Take ☐ Repairs ☒ Nitrification Line
right (SR 1253) 190 1/2 ft on right
Subdivision _____ Lot # _____
Tax ID# _____ Quadrant # _____
Number of Bedrooms Proposed: 3 Lot Size: _____
Basement with Plumbing: ☐ Garage: ☐
Water Supply: ☐ Well ☒ Public ☐ Community
Distance From Well: _____ ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional ☐ Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface No. of exact length width of depth of
Drainage Field ditches 2 of each ditch 150 ft. ditches 3 ft. ditches 30 in.

French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 6/25/94

Signed: [Signature]

Environmental Health Specialist

VOID AFTER 5 YEARS

