

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

A hand-drawn site plan on a yellowed piece of paper. The plan shows a rectangular area representing a property. On the left side, there are two curved lines with arrows pointing towards the center, labeled "W/ Repair" and "Imp/W/ Repair". In the center, there is a rectangular box labeled "Home". To the right of the home, there is a dashed line with an arrow pointing right, labeled "93'". Above this dashed line, there is a small box containing the letter "G". To the right of the property, there is a vertical line labeled "DRIVE". Below the home, there is a vertical line with an arrow pointing down, labeled "40'".

HA HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 10187. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent Fernald T Lamm

Name: Fernald T Lamm Telephone # 893-4476

Address: PO BOX 1106 LILLINGTON N.C. 27546

Property Location: SR # 1513 Road Name Neells Creek Road

New Installation ☒ Repair ☐ Septic Tank ☒ Nitrification Lines ☐

Subdivision - Lot # -

Number of Bedrooms Proposed: 3 Lot size: 14 ACRES

Basement ☐ With Plumbing ☐ Without Plumbing ☐

Water Supply: Well ☒ Public ☐ Minimum Well Setback: 50' ft.

Type of System: Conventional ☐ Other ☐

Tank Volume: Septic Tank 1000 gallons Pump Chamber ☐ gallons

Nitrification Field Specifications

Number of fields 2 Number of Lines per Field 2 Length of lines 100

Width of ditches 3 ft. Depth of ditches 24 inches

French Drain: Linear feet required - Depth of gravel -

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: James E. Marshall Date: 5-16-96