

№ 15642

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

~~☐~~ New Installation    ~~☐~~ Septic Tank

## Repairs

☒ Nitrification Line

Tax ID # \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 3 (28x64) Lot Size: 3.36 ac

Basement with Plumbing: ☐ Garage: ☐ must be filter & marked

Water Supply: ☐ Well ☒ Public ☐ Community

Distance From Well: 50 ft.

**Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.**

Type of system: ☒ Conventional ☐ Other \_\_\_\_\_

Size of tank: Septic Tank: 1000 gallons Pump Tank:          gallons


Subsurface Drainage Field No. of ditches 3 exact length of each ditch 100 ft. width of ditches 3 ft. depth of ditches 18 in. <sup>max</sup>

French Drain Required: \_\_\_\_\_ Linear feet

Date: 7-8-99

**This permit is subject to revocation if site plans or intended use change.**

Signed: Jon W. Aron  
Environmental Health Specialist



Meet onsite ~~Start~~ out Plumbing shallow 18" max. Ditch Depth  
Follow contours maintain all set backs Do not Drive or Park on  
Septic system.

**HARNETT COUNTY HEALTH DEPARTMENT**  
**AUTHORIZATION TO CONSTRUCT**

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department Improvement Permit # 15642. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Owner or Authorized Agent Judy Livingston

Name: \_\_\_\_\_ Telephone # \_\_\_\_\_

Address: \_\_\_\_\_

Property Location: SR # 1290 Road Name \_\_\_\_\_

New Installation ☒ Repair \_\_\_\_\_ Septic Tank ☒ Nitrification Lines ☒

Subdivision Wesley A. Douglas Lot # C

Number of Bedrooms Proposed: 3 (28x64) Lot size: 336 AC

Basement \_\_\_\_\_ With Plumbing \_\_\_\_\_ Without Plumbing \_\_\_\_\_

Water Supply: Well \_\_\_\_\_ Public ☒ Minimum Well Setback: \_\_\_\_\_ ft.

Type of System: Conventional ☒ Other \_\_\_\_\_

Tank Volume: Septic Tank 1000 gallons Pump Chamber \_\_\_\_\_ gallons

**Nitrification Field Specifications**

Number of fields 1 Number of Lines per Field 3 Length of lines 100

Width of ditches 3 ft. Depth of ditches 18 MAX inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the improvement permit and that a valid operations permit has been issued.

Authorized Agent for Harnett County Health Department

Name: [Signature] Date: 7-8-99