

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department".

Name: (owner) Barry Pate ☒ New Installation ☒ Septic Tank
 Property Location: SR# 427 S. Toward ☐ Repairs ☒ Nitrification Line
Erwin 1/2 just past Avery Rd (2013) on left
 Subdivision _____ Lot # _____
 Tax ID# _____ Quadrant # _____
 Number of Bedrooms Proposed: 4 Lot Size: 2A
 Basement with Plumbing: ☐ Garage: ☒
 Water Supply: ☐ Well ☒ Public ☐ Community
 Distance From Well: _____ ft. $V=480 \text{ gpd}$
 $LTA= .35$

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: ☒ Conventional ☐ Other _____
 Size of tank: Septic Tank: 600 gallons Pump Tank: _____ gallons
 Subsurface No. of 2 exact length 230 width of 3 depth of 24 in.
 Drainage Field ditches of each ditch ft. ditches ft. ditches
 French Drain required: _____ Linear feet

This permit is subject to revocation if site plans or intended use change.

Date: 5/14/95
 Signed: [Signature]

Environmental Health Specialist

VOID AFTER 5 YEARS

