

Project Details			
Name	Mary Bolin	Date	04/12/2023
Location	373 Chinaberry Lane, Angier, NC 27501	Total modules	17
Module	Mission Solar Energy: MSE395SX9R (40mm)	Total watts	6,715
Dimensions	Dimensions: 75.08" x 41.5" x 1.57" (1907.0mm x 1054.0mm x 40.0mm)	Attachments	35
ASCE	7-10	Rails per row	2

System Weight	
Total system weight	906.7 lbs
Weight/attachment	25.9 lbs
Racking weight	82.2 lbs
Distributed weight	2.4 psf

Load Assumptions					
Wind exposure	С				
Wind speed	119 mph				
Ground snow load	15 psf				
Attachment spacing portrait	4.0'				

Roof Information			
Roof Material Family	Comp Shingle	Roof material	Comp Shingle
Building height	15 ft	Roof attachment	None
		Staggered attachments	Yes
Roof slope	26 °	Attachment hardware	Square
Risk category	II		


Span Details XR10 - Portrait					
Zone	Max span	Max cantilever			
1	5' 11"	2' 4"			
2	5' 5"	2' 2"			
3	4' 4"	1' 9"			

Reaction Forces XR10 - Portrait					
Zone	Down (lbs)	Uplift (lbs)	Lateral (lbs)		
1	203	154	67		
2	203	309	67		
3	203	486	67		



Roof Section 1					
Details		Weights			
Panels: 17	Provided rail: 168' [12 x 168"]	Total weight: 906.7 lbs			
Rail orientation: East-West	Attachments: 35	Weight/attachment: 25.9 lbs			
Panel orientation: Portrait	Splices: 6	Total Area: 373.7 sq ft			
Entry type: Graphical	Clamps: 40	Distributed weight: 2.4 psf			

# Diagram





## Segments

Identifier	Columns	Row length	Rail length	Cantilever	Rail	Attachments	Splices	Clamps
А	10	35'	35'	1' 6"	84' [6 x 168"]	19	4	22
В	4	14' 1"	14' 1"	1' 1"	56' [4 x 168"]	9	2	10
С	3	10' 7"	10' 7"	1' 4"	28' [2 x 168"]	7	0	8





### **Splice Details**







# Clamp Detail









Mid Clamp, Plan


Mid Clamp, Front

End Clamp, Plan

End Clamp, Front



## **Grounding Diagram**



<sup>\*</sup> Grounding Lugs and Wire are not required in systems using Enphase microinverters.



Bill of Materials		
Part	Spares	Total Qty
Rails & Splices		
XR-10-168B XR10, Rail 168" (14 Feet) Black	0	12
XR10-BOSS-01-M1 Bonded Splice, XR10	0	6
Clamps & Grounding		
UFO-CL-01-B1 Universal Module Clamp, Black	0	40
UFO-STP-40MM-B1 Stopper Sleeve, 40MM, Black	0	12
XR-LUG-03-A1 Grounding Lug, Low Profile	0	3
Attachments		
BHW-SQ-02-A1 Square-Bolt Bonding Hardware	0	35