



WARNING:  
IF THIS CABLE OR WIRE  
IS DAMAGED OR CUT,  
IT MAY CAUSE ELECTRICAL  
SHOCK OR FIRE.  
REPAIR IMMEDIATELY.









ENCORE WIRE CORP. 10/4 U/6 TYPE NM-B 600V

Yellow tag on black cable































RA (PCL6)  
ROOM 10 BED 12 3 4 5  
BATH 12 3  
LR FR DR KITCHEN  
SUPERLUM  
SITE (TD)  
MANUFACTURED UNDER PAT. NO. 558576




3 4 5 BATH 1 2 3 LR FR DR K UT OTHER 1 2 3 4 SUPERSLICK ELITE CTRD MANUFACTURED UNDER PAT. NO. 5,658,576




































































1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK  
1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK  
1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK

For Type 2 and 3: Do not connect the ground wire of the  
lowest level of the equipment to the end bonding  
terminal. The ground wire of the lowest level of the  
equipment should be connected to the end bonding  
terminal. Use fittings of  
the same size as the  
equipment. See  
instructions for  
connecting to  
equipment.

ENCLOSURE

1/2" DIA. 1/8" THICK

1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK  
1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK  
1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK

1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK  
1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK  
1/2" DIA. 1/8" THICK  
1/4" DIA. 1/8" THICK



