





ITEM NO. 159489

Kelly Dress
10/2/20

2727 Colfaxway Park Dr
Ferguson, MO 63105

Item	Description	Quantity	Unit Price	Total
1	Full dress	1	5.1	5.1
2	Full dress	1	5.8	5.8
3	Full dress	1	2.5	2.5
4	Full dress	1	2.5	2.5
5	Full dress	1	2.5	2.5
6	Full dress	1	2.5	2.5
7	Full dress	1	2.5	2.5
8	Full dress	1	2.5	2.5
9	Full dress	1	2.5	2.5
10	Full dress	1	2.5	2.5
11	Full dress	1	2.5	2.5
12	Full dress	1	2.5	2.5
13	Full dress	1	2.5	2.5
14	Full dress	1	2.5	2.5
15	Full dress	1	2.5	2.5
16	Full dress	1	2.5	2.5
17	Full dress	1	2.5	2.5
18	Full dress	1	2.5	2.5
19	Full dress	1	2.5	2.5
20	Full dress	1	2.5	2.5
21	Full dress	1	2.5	2.5
22	Full dress	1	2.5	2.5
23	Full dress	1	2.5	2.5
24	Full dress	1	2.5	2.5
25	Full dress	1	2.5	2.5
26	Full dress	1	2.5	2.5
27	Full dress	1	2.5	2.5
28	Full dress	1	2.5	2.5
29	Full dress	1	2.5	2.5
30	Full dress	1	2.5	2.5
31	Full dress	1	2.5	2.5
32	Full dress	1	2.5	2.5
33	Full dress	1	2.5	2.5
34	Full dress	1	2.5	2.5
35	Full dress	1	2.5	2.5
36	Full dress	1	2.5	2.5
37	Full dress	1	2.5	2.5
38	Full dress	1	2.5	2.5
39	Full dress	1	2.5	2.5
40	Full dress	1	2.5	2.5
41	Full dress	1	2.5	2.5
42	Full dress	1	2.5	2.5
43	Full dress	1	2.5	2.5
44	Full dress	1	2.5	2.5
45	Full dress	1	2.5	2.5
46	Full dress	1	2.5	2.5
47	Full dress	1	2.5	2.5
48	Full dress	1	2.5	2.5
49	Full dress	1	2.5	2.5
50	Full dress	1	2.5	2.5
51	Full dress	1	2.5	2.5
52	Full dress	1	2.5	2.5
53	Full dress	1	2.5	2.5
54	Full dress	1	2.5	2.5
55	Full dress	1	2.5	2.5
56	Full dress	1	2.5	2.5
57	Full dress	1	2.5	2.5
58	Full dress	1	2.5	2.5
59	Full dress	1	2.5	2.5
60	Full dress	1	2.5	2.5
61	Full dress	1	2.5	2.5
62	Full dress	1	2.5	2.5
63	Full dress	1	2.5	2.5
64	Full dress	1	2.5	2.5
65	Full dress	1	2.5	2.5
66	Full dress	1	2.5	2.5
67	Full dress	1	2.5	2.5
68	Full dress	1	2.5	2.5
69	Full dress	1	2.5	2.5
70	Full dress	1	2.5	2.5
71	Full dress	1	2.5	2.5
72	Full dress	1	2.5	2.5
73	Full dress	1	2.5	2.5
74	Full dress	1	2.5	2.5
75	Full dress	1	2.5	2.5
76	Full dress	1	2.5	2.5
77	Full dress	1	2.5	2.5
78	Full dress	1	2.5	2.5
79	Full dress	1	2.5	2.5
80	Full dress	1	2.5	2.5
81	Full dress	1	2.5	2.5
82	Full dress	1	2.5	2.5
83	Full dress	1	2.5	2.5
84	Full dress	1	2.5	2.5
85	Full dress	1	2.5	2.5
86	Full dress	1	2.5	2.5
87	Full dress	1	2.5	2.5
88	Full dress	1	2.5	2.5
89	Full dress	1	2.5	2.5
90	Full dress	1	2.5	2.5
91	Full dress	1	2.5	2.5
92	Full dress	1	2.5	2.5
93	Full dress	1	2.5	2.5
94	Full dress	1	2.5	2.5
95	Full dress	1	2.5	2.5
96	Full dress	1	2.5	2.5
97	Full dress	1	2.5	2.5
98	Full dress	1	2.5	2.5
99	Full dress	1	2.5	2.5
100	Full dress	1	2.5	2.5

Case Number: **500**
 Name: **[Signature]**
 Date: **10/2/20**

ITEM NO. 159489

Report Injury Form

Central Harvest Hospital

Mathway Healthway Address: PO Box 281754, San Francisco CA 94134
 Mathway Healthway Fax Number: (415) 693-4384
 Mathway Policy Number: BWCE230225 (OR, HI) - BWCE215434 (all other states)
 Healthway Fax Number: (866) 458-4028



--- Flashing green when software upgrade is in progress.
 --- Flashing red when IQ Gateway is booting up.
 On Power-Up LEDs can take up to 30 seconds to glow. While restarting, wait for 2 minutes after powering off the IQ Gateway, before powering it back.

ENPHASE.
IQ Combiner 5
 Photovoltaic
 Combiner Box
 X-IQ-AM1-240-5


 Scan for OIG


 UL
 CERTIFIED
 LISTED
 E341166

Electrical ratings
Voltage 240V~, 60Hz
DG Breakers 80A MAX (combined)
DG Inputs 64A MAX (combined)
Output 65A MAX, 90A MAX feeder OCPD
Temperature 46°C MAX ambient

NOM **FC**
 IQ GATEWAY CONTAINS
 FCC ID: W52-W575DEV0
 IC ID: 104824-W575DEV0
 CTRL BOARD CONTAINS
 FCC ID: MCO-K28E3
 IC ID: 18464-K28E3


 202431005601

S/N 
 202431005601

P/N: 
 883-00358 52

Dedicated solar and DG Combiner Box - do not add loads
10 AMP or 15 AMP IQ Gateway Breaker not used for backfeed

Connection	Wire sizes	Torque	
DG Breaker (1, 2, 3, 4)	14-10 AWG	2.2 Nm (20 lb-in)	
	8 AWG	2.8 Nm (25 lb-in)	
	6-4 AWG	3.0 Nm (27 lb-in)	
60A Circuit Breaker only	4-1/0 AWG	5.0 Nm (45 lb-in)	
IQ Gateway Breaker (5)	14-10 AWG	2.26 Nm (20 lb-in)	
IQ Gateway Power Terminals	14-10 AWG	1.4 Nm (12.4 lb-in)	
Neutral and ground	Large screw	2-1/0 AWG	5.6 Nm (50 lb-in)
		14-3 AWG	5.1 Nm (45 lb-in)
	Small screw	6 AWG	3.6 Nm (32 lb-in)
		8 AWG	2.6 Nm (23 lb-in)
Main lug	10-4 AWG	5.0 Nm (45 lb-in)	
	3-2/0 AWG	5.6 Nm (50 lb-in)	
CTRL Connectors	CTRL Cables (C1,C2)	18 AWG	0.2 Nm (1.77 lb-in)
	Drain Cables (C3)	18 AWG	0.2 Nm (1.77 lb-in)

Copper conductors only, rated min. 75°C.
 Follow NFPA 70 (NEC), or CSA C22.1 part 1, and all local codes.
 For DG Breakers larger than 20A, use wire insulated for 90°C based on 75°C ampacities.

Designed in California and India. Made in Mexico

Non terminating node : CTRL(CONTROL) Wiring







































