























CertainTeed www.certainteed.com
SUN CERTAIN

Module Type: CTM10400HC11-08 (Physical Characteristics) Measurements (See Drawing at <http://www.certainteed.com>) (MFR: 11-11-2016) (MFR: 11-11-2016)

4000	Max. Voltage (V _{oc})	49.2V	4000	Max. Power (W _p)	400W
24.0	Open-Circuit Voltage (V _{oc})	24.0V	16.67	Max. Current (I _{sc})	16.67A
12.0	Operating Voltage (V _{mp})	12.0V	11.11	Max. Power Current (I _{mp})	11.11A
12.0	Operating Current (I _{mp})	12.0A	11.11	Max. Power Voltage (V _{mp})	11.11V
16.67	Max. Current (I _{sc})	16.67A	11.11	Max. Power Current (I _{mp})	11.11A
11.11	Max. Power Voltage (V _{mp})	11.11V	11.11	Max. Power Current (I _{mp})	11.11A

PLEASE READ THE TECHNICAL SPECIFICATIONS TO THIS PRODUCT CAREFULLY BEFORE INSTALLATION.
A CertainTeed Solar Panel is a registered trademark of CertainTeed Solar. © 2016 CertainTeed Solar. All rights reserved.
Manufactured in China. Components are made in the USA and other countries.
Warranty: See website at www.certainteed.com for details.

JMTHY
100V
10A

















