











































114-18643755

70047515030

Model: DT00-M2

Grid Support Utility Interactive Inverter
Range of Input Operating Voltage: 100-500V AC
Range of Power: 1000-10000W
Wide Input Voltage
Wide Input Current
Wide Input Power
Wide Input Frequency
Wide Input Phase
Wide Input Voltage
Wide Input Current
Wide Input Power
Wide Input Frequency
Wide Input Phase

Photovoltaic Grid Inverter System
WARNING: This device is not to be used for any other purpose than the one intended for it.
CAUTION: This device is not to be used for any other purpose than the one intended for it.
DANGER: This device is not to be used for any other purpose than the one intended for it.

Do not disassemble



DURACELL
POWER CENTER

Model: D700-M2
Grid Support Utility Interactive Inverter
Range of Input Operating Voltage 16 ~ 60 V d.c.
Range of Peak Power Input Voltage 33 ~ 48 V d.c.
Max Input Current 22 V d.c.
Max Input Short Circuit Current (2x) 11.5 A d.c.
Nominal Output Voltage Current (2x) 15.0 A d.c.
Maximum Output Voltage Current 3.00 A d.c.
Nominal Output Frequency 60 Hz
Max Continuous Output Power 695 VA
Output Power Factor Rating > 0.99 (Default)
Peak of Efficiency > 95%
Operating Ambient Temp. -40 to +55 °C
UL1741 CEA CB2 290-107-1-16 Made in China





