



WARNING: PHOTOVOLTAIC
POWER SOURCE

ProPanel
LP TechShield

TechShield

TechShield
TechShield

TechShield







696
aptos
solar technology
400NITS. US. AP
112183231695
Q.C. Passed 10

696















C
B
E






optos







NS25A2E25D6236
aptos
solar technology
Designed & Engineered in Silicon Valley
Optimized with patented DNA™ Technology
Model Type: DNA-120-MF10-460W
Nominal Maximum Power (Pmax): 460W
Open Circuit Voltage (Voc): 41.48V±3%
Short Circuit Current (Isc): 14.01A±3%
Maximum operating Voltage (Vmax): 34.20V
Maximum operating Current (Imax): 13.48A
Maximum System Voltage : 1500V
Maximum Series Fuse Rating : 25A
All electrical data at Standart Test Conditions (STC): Irradiance of 1000W/m²
spectrum AM1.5 and temperature of 25°C. Module fire rate is type I.
See installation instructions for installation requirements to achieve a specified fire class rating with this product.
WARNING - ELECTRIC HAZARD
This solar module produces electrical voltage when exposed to sunlight or intense artificial lights.Proper precautions associated with electrical power systems must be taken while handling and installing this product.
PLEASE READ THE INSTRUCTION MANUAL FOR MORE INFORMATION PRIOR TO INSTALLATION.
Aptos limited warranty is valid only for products purchased either directly from Aptos or from an authorized reseller who is in your region or authorized with written permission from Aptos.
WARNING









WARNING: PHOTOVOLTAIC
POWER SOURCE