



### Fire Marshal Division

P.O. Box 370  
Lillington, NC 27546  
910-893-7580

Reviewed For Code Compliance By:

D. Banks Wallace

Chief Deputy Fire Marshal

08/31/2018 9:54:04 AM

## Application for Plan Review

Application # \_\_\_\_\_

FMFW 1808-0008

Date Received: \_\_\_\_\_

8/28/18

Received By: \_\_\_\_\_

DL

Name of Project: \_\_\_\_\_

Denim Days Festival

Physical Address of Project: \_\_\_\_\_

N 13 Street

Erwin

NC 28339

Plans Submitted By: \_\_\_\_\_

Carla Blackman

Project Phone: \_\_\_\_\_

(910)-591-4207

Contact Person/Address: \_\_\_\_\_

Carla Blackman

Chamber Admin.

Contact Phone: \_\_\_\_\_

(910)-591-4207 (919)-616-9450

Contractor's Name/Info: \_\_\_\_\_

Contractor's Phone: \_\_\_\_\_

( )- -

- Plans that are submitted will be reviewed as quickly as possible with an average time of review between 7-10 working days.
- Status checks may be conducted on plan reviews by visiting the website <http://hteweb.harnett.org/Click2GovBP/Index.jsp> or by calling the Harnett County Central Permitting Office (910-893-4759), or the Harnett County Fire Marshal's Office (910-893-7580).
- Approved plans must be picked up from the Central Permitting Office and all fees paid before any required inspections can be conducted.



Town of Erwin

# Temporary Certificate of Zoning Compliance

Planning & Inspections Department, 100 West F St., Erwin, NC 28339; 910-897-5140

Permit #


The Administrative Official may issue a temporary Certificate of Zoning Compliance for rallies, carnivals, religious revivals, and similar temporary uses. Such certificates shall be issued for a fixed period of time, but not to exceed fifteen (15) days, shall be subject to such limitations as the Administrative Official may impose to protect the character of the district affected, and may be considered for reapplication. A fee set by the Town Board shall be charged for the processing of such application. The adopted fee schedule shall be posted in the Town Clerk's Office.

Applicant Name (print)	Erwin Area Chamber of Commerce	
Applicant Contact	Carla Blackman	
Proposed Use	Denim Days Festival	
Proposed Location Street Address	200 N 13th Street Erwin	PIN 0597-54-8425, CW
Property Owner Name	Erwin Business Complex / Norman Ave	
Proposed Date(s)	<del>10-5-18</del> 10-5-18 - 10-6-18	
Proposed Time(s)	7:00 pm 10/5 - 5:00 pm 10/6	
Applicant's Signature		Date: 8/23/18


**Administrative Official's Comments and Additional Requirements:**

- obtain event insurance for all activities
- street dance on E H ST on Friday Oct. 5th from 5pm - 11pm  
E H st will be closed
- Parade on Saturday at 10am - normal parade route will be followed
- obtain any other necessary permits from Harnett County

Fee Paid: _____	Date Paid: _____	Staff Initials: _____
Signature of Town Representative:		Date Approved/Denied: 8/23/18



MAP 1



	RESTROOMS		ELECTRICAL OUTLET		PUBLIC HEALTH PARK
	HANDWASH		FIRE HYDRANT		GAZEBO
	KIDS PLAY AREA		FIRE EXTINGUISHER		
	TREE		12' CLEARANCE		
			ELECTRICAL BOOTH		
			FOOD COURT		

TOTAL SPACE AVAILABILITY:  
 Craft/Business Vendors-77  
 Food Vendors-9  
 Public Health-6  
 Misc.- 3



Fire Marshal Division

August 30, 2018

Carla Blackmon  
Erwin Chamber of Commerce  
100 West F Street  
Erwin, NC 28339

**Re: Erwin Denim Days  
100 North 13<sup>th</sup> St.  
Erwin, NC 28339**

**Application Number – FMFW1808-0008**

Mrs. Blackmon,

Thank you for submitting the plans for the Erwin Denim Days. The plans have been carefully reviewed by a qualified code enforcement official to examine for full compliance with the North Carolina Fire Prevention Code and all other fire protection regulatory documents. There are some items that were found during the plan review process that need to be addressed before a final inspection of the new facility can be given. These items are outlined and described below.

- **Permits**

- A permit will be issued for the special assembly that will include the event as a whole.
- A permit may be issued for other tent areas if the individual tent exceeds 700 ft<sup>2</sup> or the aggregate area of multiple canopies placed side by side without a fire break clearance of 12'

- **Fire Extinguishers**

- Portable fire extinguishers shall be provided within a 30-foot (9144 mm) travel distance of commercial-type cooking equipment. Cooking equipment involving vegetable or animal oils and fats shall be protected by a Class K rated portable extinguisher.
- 2A-10B:C fire extinguisher shall be placed at tents/canopies with a travel distance not to exceed 100' from any fire extinguisher



- **2411.6 Outdoor cooking.**
  - Outdoor cooking that produces sparks or grease-laden vapors shall not be performed within 20 feet (6096 mm) from a tent, air-supported, air-inflated or tensioned membrane structure, temporary membrane structure or canopy
  - Cooking is permitted under flame resistant tents meeting NPFA 701 Flame Propagation Standard with a minimum separation of 20' from lot lines, buildings, parked vehicle, other tents and membrane structures.
  
- **2411.5 Cooking tents.**
  - Tents where cooking is performed shall be separated from other tents, air-supported, air-inflated or tensioned membrane structures, temporary membrane structures or canopies by a minimum of 20 feet (6096 mm).
  
- **2415 Generators**
  - Generators and other internal combustion power sources shall be separated from tents, air-supported, air-inflated or tensioned membrane structures, temporary membrane structures or canopies by a minimum of 20 feet (6096 mm) and shall be isolated from contact with the public by fencing, enclosure or other approved means.
  
- **2413.3 Refueling.**
  - Refueling shall be performed in an approved location not less than 20 feet (6096 mm) from tents, air-supported, air-inflated or tensioned membrane structures, temporary membrane structures or canopies.
  
- **2406.4 Combustible materials.**
  - Hay, straw, shavings or similar combustible materials shall not be located within any tent or air-supported structure containing an assembly occupancy, except the materials necessary for the daily feeding and care of animals. Sawdust and shavings utilized for a public performance or exhibit shall not be prohibited provided the sawdust and shavings are kept damp. Combustible materials shall not be permitted under stands or seats at any time. The areas within and adjacent to the tent or air-supported structure, shall be maintained clear of all combustible materials or vegetation that could create a fire hazard within 20 feet (6096 mm) from the structure.



Combustible trash shall be removed at least once a day from the structure during the period the structure is occupied by the public.

- **Permits**

- Final inspection will be conducted the day of the event and the permit will be issued after inspection.

Thank you again for submitting the plans for Erwin Denim Days. Please review the plans and adhere to any notes and alterations that were made in addition to the original drawings. These remarks are for the plans that were submitted and its original intent. These remarks do not apply if the original intent changes or what was submitted on the above date changes. If you have any questions, please do not hesitate to call this office.

Sincerely,



D. Banks Wallace  
Chief Deputy Fire Marshal