



Application for Plan Review

Application # FMFN1811-0002

Date Received: 11/19/18 Received By: 

Name of Project: Kidzone Child Care Facility

Physical Address of Project: 307 N. Main Street

Bues Creek, NC 27506

Plans Submitted By: Becky Rose - Gill Security

Project Phone: (910) 814 2535 (Jackie Dixon)

Contact Person/Address: _____

GILL SECURITY SYSTEMS INC.
818 Ramsey Street
Fayetteville, NC 28301
910.433.2868

Contact Email: becky@gillsecurity.com

Contact Phone: (910) 433-2868 (____)-____-

Contractor's Name/Info: _____

Contractor's Phone: (____)-____-

- Plans that are submitted will be reviewed as quickly as possible with an average time of review between 7-10 working days.
- Status checks may be conducted on plan reviews by visiting the website <http://htweb.harnett.org/Click2GovBP/Index.jsp> or by calling the Harnett County Central Permitting Office (910-893-7525, Option #2), or the Harnett County Fire Marshal's Office (910-893-7580).
- Approved plans must be picked up from the Central Permitting Office and all fees paid before any required inspections can be conducted.

KIDZONE (Contact: Ms. Jackie Dixon)

307 N MAIN STREET

BUIES CREEK, NC 27506

GS-4253

On 11/16/18 Gill Security added a starlink fire radio (spec attached) for the monitoring of fire system at above referenced child care facility. The radio will allow activations to be communicated to Security Central for monitoring purposes. Prior to this date the phone line had been removed from the monitoring station and the system was unable to communicate.

Submitted by:

Becky Vohoska Rose

Gill Security Systems, Inc.

818 Ramsey

Fayetteville, NC 28301

910-433-2868

www.gillsecurity.com

becky@gillsecurity.com

StarLink Fire

COMMERCIAL FIRE CELLULAR & IP

Commercial Fire Alarm Cellular &/or IP Fire Alarm LTE Communicators

- **Universal full event sole & dual path cellular &/or IP commercial fire alarm reporting from any panel brand, virtually anywhere**
- **Code-compliant, replaces 2POTs lines per FACP saves thousands of dollars per year over the leased landlines**
- **Supports 12V-24 control panels and FACPs that communicate using Contact ID and 4/2 (such as on legacy panels), as primary or backup**
- **Full data Reporting to any Central Station nationwide, via Verizon® LTE Network, "The Nations largest and most reliable LTE network. Rated #1 overall network, proven to deliver consistently fast speeds and more places than any other network" ‡**
- **Communicate critical life and safety alarm reports on LTE (Long Term Evolution) 10+ year life, cyber-protected multi-billion dollar cellular network, for maximum life safety & liability protection**
- **Easiest installation, powered by panel, NO extra power supply, NO conduit, self supervised on 4 wires**
- **Over-the-Air Upgradeable Communicator Firmware.** Remote ability for critical/mandatory updates, without a truck-roll
- **Cost-saving models and plans for any code requirement.** Substantial savings over monthly dedicated landline charges. And, \$100 saving incentive for system upgrades from old radios (all makes) and old POTs landlines, as well as new installations


UL and NFPA 72 Fire Code-Compliant, the StarLink Series Wireless Commercial Fire Alarm Sole Path & Dual Path Communicators provide universal support for any brand 12V to 24V fire alarm control panel, reporting in Contact ID and 4/2. With broadest Verizon LTE coverage footprint available, via most extensively deployed LTE CAT1, using proven StarLink circuitry, they are also available in mercantile locking metal models. All provide the most economical solution for easy, versatile installation. Also regional compliances, i.e., CSFM, NYCFD, LAFD and more.

Easy, Universal Installation at Every Application; Panel-Powered Technology™. StarLink Fire Communications are easily connected to any panel or Fire Alarm Control Panel (FACP) standardly operating between 12V and 24V. Flexible in any application, StarLink Fire also comes in standard, or Mercantile Models in metal housings, with code-compliant supervision, and choice of power options, Panel-Powered Technology™ (powered by the panel), or direct-connect 120VAC models. Signal Boost circuitry & dual diversity antennae for maximum signal acquisition & null avoidance, receiving signals simultaneously on both antennae.

Flexible Performance & Reporting Options. StarLink Fire provides full data reporting, in sole and dual path, as a primary or backup, to any central station of your choice, without requiring any special equipment on premises. Ultra-affordable plans are available to meet various codes and requirements, with supervisory check-ins from 200 seconds, to 5 minutes, to an hour. The units are very easily activated, plans and options are selected, and 24/7 account management is provided all through www.napcocomnet.com.

Napco StarLink Universal Fire Alarm Communicators

- **Sole Path Cellular and Dual Path Cellular &/or IP Models**
- **Choice of plans** (varies by model) - check-ins from 200 seconds, to 5-minutes to 1 hour, Verizon LTE Network
- **Patented Signal Boost™ and Dual Diversity Antennae** for maximum signal acquisition & null avoidance, receiving signals simultaneously on both antennae
- **Money-saving Tradeup incentive credit**
- **Bonus: Full High-Speed Napco Panel remote uploading/ downloading**
- **COMPLIANCES:** NFPA72 Editions: 2016, 2013, 2010, 2007; UL 864, 9th Ed., UL1610, UL985, UL1023, NYCFD; CSFM; LAFD



Code-compliant standard or mercantile metal models (right and left, respectively).

